

PMC INC, PMC SPECIALTIES GROUP DIV -- COBRATE 99 POWDER -- 6810-01-095-2465

=====
Product Identification
=====

Product ID:COBRATE 99 POWDER

MSDS Date:06/11/1991

FSC:6810

NIIN:01-095-2465

MSDS Number: BMZJZ

=== Responsible Party ===

Company Name:PMC INC, PMC SPECIALTIES GROUP DIV

Address:501 MURRAY RD

City:CINCINNATI

State:OH

ZIP:45217

Country:US

Info Phone Num:513-242-3300

Emergency Phone Num:513

-242-3300

CAGE:0T805

=== Contractor Identification ===

Company Name:PMC INC, PMC SPECIALTIES GROUP DIV

Address:501 MURRAY RD

Box:City:CINCINNATI

State:OH

ZIP:45217

Country:US

Phone:513-242-3300

CAGE:0T805

Company Name:SHERWIN-WILLIAMS CO THE

Address:101 PROSPECT AVE NW

Box:City:CLEVELAND

State:OH

ZIP:44115-1042

Country:US

Phone:800-251-2486/216-566-2242

CAGE:54636

=====
Composition/Information on Ingredients
=====

Ingred Name:BENZOTRIAZOLE

CAS:95-14-7

RTECS #:DM1225000

Fracti

on by Wt: 99%

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 560 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:DETAILED INFORMATION ABOUT THE EFFECTS OF OVEREXPOSURE IN THE HUMAN BEING IS UNAVAILABLE. EXPERIRNCE THUS FAR HAS NOT PROVIDED ANY EXAMPLE OF OBVIOUS OVEREXPOSURE WITH RESULTANT SYM

PTOMS. ANIMAL STUDI ES HAVE INDICATED AN EFFECT ON THE CENTRAL NERVOUS SYSTEM.

Explanation of Carcinogenicity:AN NCI BIOASSAY SHOWED NO CONVINCING EVIDENCE OF CARCINOGENCITY (NCI-CG-TR-88).

Effects of Overexposure:CONTACT WITH THE EYES IS LIKELY TO CAUSE SEVERE IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHALED-IF AFFECTED, REMOVE FROM EXPOSURE. RESTORE BREATHING.

KEEP WARM & QUIET. SKIN-WASH AFFECTED AREA THOROUGHLY WITH SOAP & WATER. EYES-FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR 15 MIN. GET MEDIC AL ATTENTION. SWALLOWED-GIVE SEVERAL GLASSES OF WATER. IF VOMITING IS NOT SPONTANEOUS, INDUCE VOMITING BY TOUCHING THE BACK OF PATIENT'S THROAT WITH FINGER. KEEP AIRWAY CLEAR. SEEK MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:340F,171C

Extinguishing Media:CARBO

N DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:FULL PROTECTIVE EQUIPMENT INCLUDING

SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLE ARE PREFERED

Unusual Fire/Explosion Hazard:AIRBORNE DUST IS RATED A SEVERE EXPLOSION HAZARD AT A MINIMUM CONCENTRATION OF 0.03 OUNCE PER CUBIC FEET.

=====
===== Accidental Release Measures =====

Spill Release Procedures:IF LOCAL HIGH CONCENTRATION OF AIRBORNE

IC ODOR.

Percent Volatiles by Volume:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:BY FIRE: CARBON DIOXIDE, CARBON MONOXIDE, NITROGEN OXIDES, HCN IN REDUCING ATMOSPHERES.

===== Disposal Considerations =====

Waste Disposal Methods:SANITARY LANDFILL OR INCINERATE IN APPROVED

FACILITIES IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS REGARDING POLLUTION. DO NOT HEAT OR INCINERATE IN CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.