View NSN Online: https://aerobasegroup.com/nsn/5970-00-414-7137

THE EPOXYLITE CORPORATION -- EPOXYLITE # R2 -- 5970-00-414-7137

Product ID: EPOXYLITE # R2 MSDS Date:07/01/1990 FSC:5970 NIIN:00-414-7137 MSDS Number: BMZVH === Responsible Party === Company Name: THE EPOXYLITE CORPORATION Address:9400 TOLEDO WAY Box:19671 City:IRVINE State:CA ZIP:92713-9671 Country:US Info Phone Num:714-951-3231 Emergency Phone Num:714-951-3231/8 00-424-9300(CHEMTREC) Preparer's Name: REBECCA TIMMINS CAGE:HO289 === Contractor Identification === Company Name: THE EPOXYLITE CORPORATION Address:9400 TOLEDO WAY Box:19671 City:IRVINE State:CA ZIP:92713-9671 Country:US Phone:714-951-3231 CAGE:11147 Company Name: THE EPOXYLITE CORPORATION Address:9400 TOLEDO WAY Box:19671 City:IRVINE State:CA ZIP:92713-9671 Country:US Phone:714-951-3231 CAGE:HO289

Ingred Name: DIGLYCIDYL ETHER O

F BISPHENOL A CAS:25085-99-8 Fraction by Wt: 95-100% Other REC Limits: NONE STATED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SKIN/EYE:IRRITATION. INHALATION:NO EFFECTS. INGESTION:LOW TOXICITY. CHRONIC:SKIN SENSITIZATION. Effects of Overexposure: EYES: MINOR TRANSIENT IRRITATION. SKIN: IRRITATION/RASHES. Medical Cond Aggravat ed by Exposure: INDIVIDUALS WITH A HISTORY OF SKIN DÍSEASES MAY BE AT INCREASED RISK FROM EXPOSURE. First Aid: YES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. SEE DOCTOR. SKIN:REMOVE CONTAMINATED CLOTHING AND SHOES. WASH WITH SOAP AND WATER.SEE DOCTOR. INHALATION: REMOVE VICTIM TO FRESH AIR. INGESTION: GIVE LARG E QUANTITIES OF WATER OR MILK IF CONSCIOUS. INDUCE VOMIT. SEE DOCTOR IMMEDIATELY. NOTHING BY MOUTH IF UNCONSCIOUS. Flash Point Method: PMCC Flash Point:485F,252C Extinguishing Media: ALCOHOL FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:WEAR SCBA WITH A FULL FACE PIECE OPERATED IN PRESSURE-DEMAND MODE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS AND TO DISPERSE UNIGNITED VAPORS. **Unusual Fire/Explosion Hazard:NONE** = Spill Release Procedures: SOAK UP IN ABSORBENT MATERIAL OR SCRAPE UP AND PLACE IN APPROPIATE DISPOSAL CONTAINER AND COVER. Handling and Storage Precautions: STORE IN A COOL, DRY PLACE. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES. Other Precautions: AVOID EYES AND SKIN CONTACT, AVOID BREATHING VAPORS OR HEATED MATERIAL.

Respiratory Protection

HCC:N1 Vapor Density:>1 Spec Gra vity:1.2 Solubility in Water:INSOLUBLE. Appearance and Odor:WATER WHITE TO YELLOW AMBER LIQUID, LOW ODOR. Percent Volatiles by Volume:NIL

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS AND BASES.STRONG LEWIS OR MINERAL ACIDS. Stability Condition to Avoid:HEAT Hazardous Decomposition Products:DURING COMBUSTION MAY FORM CARBON

Hazardous Decomposition Products:DURING COMBUSTION MAY FORM CARBON MONOXIDE, ALDEHYDES AND ACIDS.

Conditions to Avoid Polymerization:WILL NOT POLY MERIZE BY

ITSELF.ALIPHATIC AMINES WILL CAUSE IRREVERSIBLE POLYMERIZATION WITH CONSIDERABLE HEAT BUILD UP.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoev er,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.