View NSN Online: https://aerobasegroup.com/nsn/9140-00-419-0450

CONOCO INC -- NO.1 DIESEL FUEL, NO.1 FUEL OIL -- 9140-00-419-0450

Product ID:NO.1 DIESEL FUEL, NO.1 FUEL OIL

MSDS Date:12/31/1992

FSC:9140

NIIN:00-419-0450

MSDS Number: BMZVJ === Responsible Party === Company Name: CONOCO INC

Address:600 N DAIRY ASHFORD RD RM 3012

Box:4784

City:HOUSTON

State:TX

ZIP:77210-4784

Country:US

Info Phone Num:713-293-5550

Emergency Phone

Num:800-441-3637(CHEMTREC 800-424-9300)

Preparer's Name: MSDS COORDINATOR

CAGE:15445

=== Contractor Identification === Company Name: CONOCO INC

Address:600 N DAIRY ASHFORD RD RM 3012

Box:4784

City:HOUSTON

State:TX

ZIP:77210-4784

Country:US

Phone:800-441-3637/800-424-9300(CHEMTREC)

CAGE:15445

Company Name: CONOCO INC Address: 5 GREENWAY PLAZA E

Box:2197

City:HOUSTON

State:TX ZIP:77252 Country:US

Phone:713-293-5550PRODUCT/ 800-4413637MED

CAGE:5R396

====== Composition/Information on Ingredien

Ingred Name:KEROSENE CAS:8008-20-6

RTECS #:OA5500000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:100 PPM ACGIH TLV:100 PPM 9091

Ingred Name:HYDROSULFURIZED KEROSENE CAS:64742-81-0
Other REC Limits:NONE RECOMMENDED

Ingred Name: PETROLEUM HYDROCARBONS

Other REC Limits: NONE SPECIFIED

============= Hazards Identification ========================

LD50 LC50 Mixture:0RAL LD50 (RAT) IS 9.0 ML/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenici

ty:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS IRRITATING TO EYES, LUNGS, AND SKIN AFTER PROLONGED/REPEATED CONTACT. EXTREME OVEREXPOSURE OR ASPIRATION INTO LUNGS MAY CAUSE LUNG DAMAGE. BREATHING OIL MIST HAS CAUSED PULMONARY FIBROSIS. S KIN PAINTING HAS CAUSED CANCER IN MICE IF SKIN IS NOT WASHED BETWEEN APPLICATIONS.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECT CARCINOGEN

Effects of Overexposure:INHALATION: HEADACHE, NAUSEA, VOMITING, DIZZINESS, DROWSINESS. EYES: BURNING SENSATION, REDNESS. SKIN: RASH, ITCHING. INGESTION: BURNING OF MOUTH AND ESOPHAGUS; NAUSEA, VOMITING, STOMACH PAIN.

Medical Cond Aggravated by Exposure:PRE-EXISTING LUNG, LIVER, OR KIDNEY DISORDERS MAY BE AGGAVATED BY EXPOSURE.

First Aid:IF IRRITATION PERSISTS OR IS SEVERE, SEE A DOCTOR. EYE:FLUSH W/WATE

R 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. INHALED:REMOVE TO FRES H AIR. AID/RESTORE BREATHING IF NECESSARY. INGESTED:DO NOT INDUCE VOMITING. GIVE 2 LARGE GLASSES OF MILK OR WATER TO DILUTE & GET IMMEDIATE MEDICAL CARE. NOTHING BY MOUTH IF UNCONSCIOUS.

======================================
Flash Point Method:TCC Flash Point:115F,46C
Autoignition Temp:Autoignition Temp Text:410F Low
er Limits:0.5% Upper Limits:6%
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, OR CARBON DIOXIDE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. USE WATER FOG TO COOL FIRE EXPOSED CONTAINERS AND TO DIPERSE VAPORS. FORMS TOXIC FUMES/GASES.
Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG GROUND OR FLOOR, THEN 'FLASH BACK' FROM A DISTANT IGNITION SOURCE.
========= Accidental Release Measures
Spill Release Procedures:REVIEW FIRE & EXPLOSION HAZARDS BEFORE PROCEDING. WEAR PROTECTIVE EQUIPMENT. VAPORS MAY BE EXPLOSIVE; ELIMINATE IGNITION SOURCES. DIKE SPILL. KEEP OUT OF SEWERS & WATERWAYS. SOAK UP WITH SAND,SAWDUST, ETC. SHOVEL OR SWEEP UP USING NON-SPARKING TOOLS. Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY MFR.
======================================
Handling and Storage Precautions:STORE BELOW 40C, IN A WELL-V ENTILATED
AREA AND AWAY FROM HEAT, IGNITION SOURCES AND OXIDIZING MATERIAL. HANDLE AND STORE I/A/W NFPA REGULATIONS. Other Precautions:USE ONLY WITH ADEQUATE VENTILATION. KEEP AWAY FROM HEAT, SPARKS, AND FLAMES. KEEP CONTAINER IN A COOL PLACE AND TIGHTLY CLOSED. GROUND CONTAINERS WHEN POURING.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE NORMALLY REQUIRED. USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS IF TLV IS EXC

EEDED OR WHEN SPRAYING OR USING IN CONFINED SPACES. Ventilation: USE SUFFCIENT VENTILATION TO MAINTAIN ATMOSPHERIC CONCENTRATIONS BELOW PERMISSABLE EXPOSURE LIMITS. Protective Gloves: NBR OR NEOPRENE Eye Protection: SAFETY GLASSES (GOGGLES+FACE SHIELD) Other Protective Equipment: SUFFICIENT PROTECTIVE CLOTHING TO MINIMIZE SKIN EXPOSURE. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Work Hygienic Practices: USE GOOD INDUSTRIAL HYGIENE PRACTICE. WASH AFTER USING THE PRODUCT AND BEFORE EA TING, DRINKING, ETC. Supplemental Safety and Health KEY2:KT ======== Physical/Chemical Properties ============ HCC:F4 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:>330F,>166C Vapor Pres:2 MM Vapor Density:>1 (AIR=1) Spec Gravity:0.81 Solubility in Water: INSOLUBLE Appearance and Odor:CLEAR LIQUID, PARAFFINIC ODOR Percent Volatiles by Volume:NIL ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES **OXIDIZING AGENTS** Stabi lity Condition to Avoid: HEAT, SPARKS, FLAME AND OTHER SOURCES OF IGNITION. Hazardous Decomposition Products: INCOMPLETE COMBUSTION MAY PRODUCE CARBON MONOXIDE Conditions to Avoid Polymerization: WILL NOT OCCUR ======== Disposal Considerations ============= Waste Disposal Methods:TREATMENT AND DISPOSAL MUST BE IN ACCORDANCE WITH APPLICABLE LOCAL, STATE/PROVINCIAL AND FEDERAL REGULATIONS. DO

NOT FLUSH TO SURFACE WATER OR SANITARY SEWER SYSTEM. LIQUID IS **EXP**

ECTED TO BE A RCRA IG NITABLE HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.