

DUPONT MERCK PHARMACEUTICAL CO, THE -- COUMADIN -- 6505-00-982-4229

=====
Product Identification
=====

Product ID:COUMADIN

MSDS Date:08/13/1991

FSC:6505

NIIN:00-982-4229

MSDS Number: BNBSK

=== Responsible Party ===

Company Name:DUPONT MERCK PHARMACEUTICAL CO, THE

Address:BARLEY MILL PLAZA

Box:80026

City:WILMINGTON

State:DE

ZIP:19880-0026

Country:US

Info Phone Num:302-992-4240

Emergency Phone Num:

800-441-9861

Preparer's Name:C. K. WOOD

CAGE:GO350

=== Contractor Identification ===

Company Name:DU PONT MERCK PHARMACEUTICAL CO, THE

Address:BARLEY MILL PLAZA

Box:80026

City:WILMINGTON

State:DE

ZIP:19880-0026

Country:US

Phone:800-441-9861

CAGE:04490

Company Name:DUPONT MERCK PHARMACEUTICAL CO

Box:80026

City:WILMINGTON

State:DE

ZIP:19880-0026

Country:US

Phone:302-992-4240

CAGE:GO350

=====
Composition/Information on Ingredients
=====

Ingred Name:WARFARIN SODIUM (SARA III)

CA

S:129-06-6
RTECS #:GN4725000
Fraction by Wt: 0.9-4.5%
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL RAT LD50:100MG(MALE) 8MG(FEMALE)/KG
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:HEMORRHAGE FROM ANY TISSUE OR ORGAN,
NECROSIS OF SKIN AND OTHER TISSUES, ALOPECIA, HIVES, DERMATITIS,
FEVER, NAUSEA, DIARRHEA, ABDOMINAL
CRAMPING, CRAMPING, SYSTEMIC
CHOLESTEROL MICROEMBOLIZATION, CHO LESTATIC HEPATIC INJURY,
PARALYSIS, HEADACHE, JOINT PAIN, SHORTNESS OF BREATH, UNEXPLAINED
SWELLING, UNEXPLAINED SHOCK.
Explanation of Carcinogenicity:THIS PRODUCT IS NOT LISTED BY IARC, NTP
OR OSHA AS A CARCINOGEN, MUTAGEN, TERATOGEN OR NEUROTOXIN.
Effects of Overexposure:HEMORRHAGE FROM ANY TISSUE OR ORGAN, NECROSIS
OF SKIN AND OTHER TISSUES, ALOPECIA, HIVES, DERMATITIS, FEVER,
NAUSEA, DIARRHEA, ABDOMINAL
CRAMPING, CRAMPING, SYSTEMIC
CHOLESTEROL MICROEMBOLIZATION, CHO LESTATIC HEPATIC INJURY,
PARALYSIS, HEADACHE, JOINT PAIN, SHORTNESS OF BREATH, UNEXPLAINED
SWELLING, UNEXPLAINED SHOCK.
Medical Cond Aggravated by Exposure:COUMADIN IS CONTRAINDICATED IN
WOMEN WHO ARE AR MY BECOME PREGNANT BECAUSE THE DRUG PASSES THROUGH
THE PLACENTAL BARRIER AND MAY CAUSE FATAL HEMORRHAGE TO THE FETUS
IN UTERO.

=====
===== First Aid Measures =====

First Aid:
INHALATION:REMOVE TO FRESH AIR. GIVE MOUTH-TO-MOUTH
RESUSCITATION IF NOT BREATHING. GIVE OXYGEN IF BREATHING IS
DIFFICULT. GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH
PLENTY OF WATER FOR AT LEA ST 15 MINUTES. GET MEDICAL ATTENTION.
SKIN:WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING.
INGESTION:GIVE 2 GLASSES OF WATER AND INDUCE VOMITING IF VICTIM IS
CONSCIOUS. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Auto

ignition Temp:Autoignition Temp Text:NONE

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:EVACUATE PERSONNEL TO A SAFE AREA. KEEP PERSONNEL REMOVED AND UPWIND OF FIRE. WEAR SELF-CONTAINED BREATHING APPARATUS. WEAR FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT DURING CLEAN UP.

EVACUATE PERSONNEL, THOROUGHLY VENTILATE AREA, USE SELF-CONTAINED BREATHING APPARATUS. RECOVER UNDAMAGED AND MINIMALLY CONTAMINATED MATERIAL FOR REUSE OR RECLAMATION.

Neutralizing Agent:IF MAJOR BLEEDING OCCURS, GIVE 5 TO 25 MG PARENTERAL VITAMIN K.

===== Handling and Storage =====

Handling and Storage Precautions:STORE ABOVE 15 DEG C. STORE BELOW 30 DEG C. STORE IN DARK PLACE. KEEP CONTAINER TIGHTLY CLOSED. DO NOT STORE NEAR FOOD OR DRINK.

NK.

Other Precautions:AVOID BREATHING VAPORS OR MIST. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR A NIOSH/MSHA APPROVED CHEMICAL CARTRIDGE RESPIRATOR WITH FULL FACEPIECE AND ORGANIC VAPOR CARTRIDGES IN COMBINATION WITH A HIGH-EFFICIENCY PARTICULATE FILTER WHEN APPROPRIATE TO PREVENT INHALATION OF DUST.

Ventilation:LOCAL AND MECHANICAL(GENERAL) EXHAUST TO PROVIDE ADEQUATE VENTILATION.

Protective Gloves:NEOPRENE RUBBER GLOVES

Eye Protection:SAFETY GLASSES

Other Protective Equipment:WEAR INDUSTRIAL WORK CLOTHING. USE NEOPRENE OR TYVEK APRON, BOOTS, JUMPSUIT OR WHOLE BODYSUIT AS APPROPRIATE.

Work Hygienic Practices:DO NOT CONSUME FOOD, DRINK OR TOBACCO IN THE AREAS WHERE THEY MAY BECOME CONTAMINATED WITH THIS MATERIAL.

Supplemental Safety and Health

IF INGESTED, AN ACTIVATED CHARCOAL SLURRY MAY BE USED. TO PREPARE, SUSPEND 50 GRAMS OF ACTIVATED CHARCOAL IN 400

ML OF WATER IN A

PLASTIC BOTTLE AND SHAKE WELL. ORALLY ADMINISTER 5 ML/KG, OR 350 ML
FOR AN AVERAGE ADULT. COUMADIN IS USED CLINICALLY AS AN ORAL
ANTICOAGULANT.

===== Physical/Chemical Properties =====

HCC:T6

Solubility in Water:APPRECIABLE

Appearance and Odor:WHITE CRYSTALLINE POWDER, NO ODOR

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY M
ANUFACTURER.

Hazardous Decomposition Products:WILL NOT DECOMPOSE UNDER NORMAL
CONDITIONS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH APPLICABLE
FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.