

MINNESOTA MINING & MFG CO INDUSTRIAL CHEM PRODUCTS -- FC-203CF -- 4210-01-139-4972

=====
Product Identification
=====

Product ID:FC-203CF

MSDS Date:07/29/1991

FSC:4210

NIIN:01-139-4972

MSDS Number: BNBTR

=== Responsible Party ===

Company Name:MINNESOTA MINING & MFG CO INDUSTRIAL CHEM PRODUCTS

Address:3M CTR

City:ST PAUL

State:MN

ZIP:55144

Country:US

Info Phone Num:612-733-5454

Emergency Phone Num

:612-733-5454

CAGE:28112

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO PERFORMANCE CHEM AND FLUIDS DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501

CAGE:28112

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 69-71% %

Other REC Limits:NONE SPECIFIED

Ingred Name:DIETHYLENE GLYCOL MONOBUTYL ETHER

CAS:112-34-5

RTECS #:KJ9100000

Fraction by Wt: 20% %
Other REC Limits:NONE SPECIFIED

Ingred Name:FLUOROALKYL SURFACTANTS (NEW JERSEY TRADE SECRET EIN
5803P, 5804P)

Fraction by Wt: 3 - 5% %
Other REC Limits:NONE SPECIFIED

Ingred Name:SYNTHETIC DETERGENTS (NEW JERSEY TRADE SECRET EIN 5805P,
5806P)

Fraction by Wt: 4 - 6% %
Other REC Limits:NONE SPECIFIED

Ingred Name:1H-BENZOTRIAZOLE, METHYL-
CAS:29385-43-1

Fraction by Wt: < 0.1% %
Other REC Limits:NONE SPECIFIED

Ingred Name:TRIETHANOLAMINE
CAS:102-71-6

RTECS #:KL9
275000
Fraction by Wt: 1.0% %
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MODERATELY IRRITATING TO EYES, MAY
CAUSE SKIN IRRITATION, MIST OR VAPORS MAY CAUSE IRRITATION OF THE
RESPIRATORY TRACT. MAY CAUSE GASTROINTESTINAL DISTURBANCES, CENTRA

L
NERVOUS SYSTEM DISTURBANCES. NO T EXPECTED TO BE AN INGESTION
HAZARD.

Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS
CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION, RESPIRATORY
TRACT IRRITATION, VOMITING, NAUSEA, DIARRHEA, ABDOMINAL PAIN,
PULMONARY EDEMA, STUPOR, UNCONSCIOUSNESS, FLUSHING OF FACE,
DIZZINESS, HEADACHE, COUGH, SORE THROAT, SHORTNESS OF BREATH,
CONFUSION,CONVULSIONS, L

ETHARGY, TWITCHING OF EYES, INJURY OF BLOOD
AND BLOOD-FORMING SYS

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH WITH WATER FOR 10 MINUTES. CALL A
PHYSICIAN. SKIN: WASH EFFECTED AREA WITH SOAP AND WATER.
INHALATION: REMOVE PERSON TO FRESH AIR. IF SYMPTOMS CONTINUE, CALL
A PHYSICIAN. INGESTION: GIVE TWO GLASSES OF WATER. IMMEDIATELY
CALL A PHYSICIAN OR
POISON CONTROL CENTER.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:NONE

Lower Limits:NONE

Upper Limits:NONE

Extinguishing Media:PRODUCT IS A FIRE EXTINGUISHING AGENT.

Fire Fighting Procedures:FULL PROTECTIVE CLOTHING INCLUDING

SELF-CONTAINED BREATHING APPARATUS, COAT, PANTS, GLOVES, BOOTS AND
BANDS AROUND LEGS, ARMS AND WAIST SHOULD BE PROVIDED.

Unusual Fire/Explosion Hazard:TOXIC BY-PRODUCTS, INCLUDING SMALL
AMOUNTS OF HF,
MAY BE FORMED.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. COVER WITH ABSORBENT MATERIAL.

COLLECT SPILLED MATERIAL. CLEANUP RESIDUE WITH WATER. PLACE IN U.S.
DOT APPROVED CONTAINER AND SEAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE ONLY IN WELL-VENTILATED AREAS.

AVOID BREATHING SPRAY AND MISTS. DO NOT GET

IT IN EYES. AVOID CONTACT

WITH SKIN. KEEP CONTAINER CLOSED WHEN NOT IN USE

Other Precautions:TRIETHANOLAMINE IS CORROSIVE WHEN UNDILUTED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR
CARTRIDGE AND PARTICULATE FILTER.

Ventilation:GENERAL VENTILATION IS ADEQUATE DURING NORMAL INTENDED USE
OF DILUTED PRODUCT.

Protective Gloves:RUBBER GLOVES

Eye Protection:SAFEETY GOGGLES

Other Protective Equipment

t:PROTECTIVE CLOTHING, EMERGENCY
SHOWER/EYEWASH STATION.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT
AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Pres:29.300

Vapor Density:00.62

Spec Gravity:1

pH:7.5

Evaporation Rate & Reference:< 1 (BUTYL ACETATE =
1)

Solubility in Water:MISCIBLE

Appearance and Odor:CLEAR, AMBER COLORED LIQUID

Percent Volatiles by Volume:90 %

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:THERMAL DECOMPOSITON MAY PRODUCE TOXIC
MATERIALS INCLUDING HF. DECOMPOSITION OF USAGE CONCENTRATIONS NOT
HAZARDOUS.

=====

Disposal Considerations =====

Waste Disposal Methods:BLEED SPENT SOLUTIONS AND SMALL PRODUCT
QUANTITIES, GENERALLY < 5 GALLONS TO A WASTEWATER TREATMENT SYSTEM.
REDUCE DISCHARGE RATE IF FOAMING OCCURS. INCINERATE BULK PRODUCT IN
AN INDUSTRIAL OR COMMERCIAL INCINERATOR. SEE WITH APPLICABLE
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The Un

ited States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.