View NSN Online: https://aerobasegroup.com/nsn/6850-01-265-2743

MAGNAFLUX -- SKD-NF DEVELOPER -- 6850-01-265-2743

Product ID:SKD-NF DEVELOPER

MSDS Date:01/01/1991

FSC:6850

NIIN:01-265-2743

MSDS Number: BNBVX === Responsible Party === Company Name:MAGNAFLUX

Address:7300 WEST LAWRENCE AVE

City:CHICAGO

State:IL ZIP:60656 Country:US

Info Phone Num:708-867-8000

Emergency Phone Num:800-424-9300 (CHEMTREC)

Preparer's Name: BRUCE C G

RAHAM CAGE:59042

=== Contractor Identification ===

Company Name: ILLINOIS TOOL WORKS INC MAGNAFLUX DIV

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL ZIP:60025 Country:US

Phone:847-657-5300/

CAGE:37676

Company Name: MAGNAFLUX

Address:7300 WEST LAWRENCE AVE

City:CHICAGO

State:IL ZIP:60656 Country:US

Phone:708-867-8000

CAGE:59042

======= Composition/Information on Ingredients ========

Ingred Name: METHYL CHLOROFORM (1,1,1-TRICHLOROEHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ29750

00

Fraction by Wt: 65%

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ozone Depleting Chemical:1

Ingred Name: METHYLAL (DIMETHOXYMETHANE)

CAS:109-87-5

RTECS #:PA8750000 Fraction by Wt: 2% OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

Ingred Name: TERT-BUTYL ALCOHOL (SARA III)

CAS:75-65-0

RTECS #:EO1925000 Fraction by Wt: 1% OSHA PEL:100 PPM

ACGIH TLV:100PPM 9394

LD50 LC50 Mixt

ure: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHAL: DIZZINESS. DROWSINESS. NAUSEA. UNCON AT HIGH EXPOSURE. SKIN: IRRITATES BY DISSOLVING SKIN OILS. NOT ABSORBED THROUGH SKIN IN SIGNIFICANT AMOUNTS. EYE: IRRITATING DUE TO STRONG SOLVENT ACTION. I NGEST: LOW SINGLE DOSE TOXICITY IN TESTANIMALS.

Explanation of Carcinogenicity: NOT RELEVANT

Effects of Ov

erexposure:SEE HEALTH HAZARDS

Medical Cond Aggravated by Exposure: NONE.

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. INHALED: REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSARY. INGESTED:DO N OT INDUCE VOMITING. GIVE 2 LARGE GLASSES OF MILK OR WATER AND GET IMMEDIATE MEDICAL CARE. DOCTOR TO ORDER VOMITING. **NOTHING BY**

Spill Release Procedures: