View NSN Online: https://aerobasegroup.com/nsn/9130-00-359-2026

BP NORTH AMERICA PETROLEUM INC -- BP OIL -- 9130-00-359-2026

Product ID:BP OIL MSDS Date:03/08/1994 FSC:9130 NIIN:00-359-2026 MSDS Number: BNCDD === Responsible Party === Company Name: BP NORTH AMERICA PETROLEUM INC Address:200 PUBLIC SQUARE City:CLEVELAND State:OH ZIP:44114-2375 Country:US Info Phone Num:800-321-8642/216-441-8106 Emergency Phone Num:800-424-9300 (CHEMTREC) Preparer's Name: BP OIL HSEQ DEPT CAGE:0BF86 === Contractor Identification === Company Name: BP NORTH AMERICA PETROLEUM INC Address:550 WESTLAKE PARK BLVD SUITE 1800 Box:City:HOUSTON State:TX ZIP:77079-2608 Country:US Phone:713-558-3443 CAGE:0BF86

Ingred Name:KEROSENE (ALIPHATIC PETROLEUM SOLVENT) CAS:8008-20-6 RTECS #:OA5500000 Fraction by Wt: 99.9% Other REC Limits:NONE RECOMMENDED

====== Hazards I

dentification =======================

LD50 LC50 Mixture:LDLO=10MLS, HUMAN ORAL. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INGEST: MODERATELY TOXIC. ASPIRATION INTO LUNGS MAY CAUSE PNEUITIS, GI DISTURBANCES & HARMFUL CNS EFFECTS.SKIN:PRACTICALLY NON-TOXIC,MODERATELY IRRIT.REP/PRO CONTACT MAY RESULT IN DEFATTING, REDNESS, ITCHI NG, INFLAMM, CRACKING, 2ND INFECTION, ALLERGIC RX, ABSORPTION MAY CAUSE POISONING.EYE: IRRIT. INHAL: RESP TRACT IRRT(SEE SUPPLE) Explanation of Carcinogenicity: PER MSDS: PRODUCTS OF SIMILAR COMPOSITION HAVE PRODUCED SKIN CANCER IN LAB ANIMALS & HAVE BEEN POS IN MUTAGENIC TEST SYS. Effects of Overexposure: INGEST: IRRIT, NAUSEA, VOMITING, DIARRHEA, EXCITATION, EUPHORIA, HEADACHE, DIZZINESS, DROWSINESS, BLURRED VISION, FATIGUE, TREMORS, CONVULSIONS, LOSS OF CONSC, COMA, RESP ARREST, DEATH. SKIN: DEFATTING, REDNESS, ITCHING, INFLAMMATION, С RACKING, INFECTION. EYE: IRRIT. INHAL: RESP TRACT IRRIT. Medical Cond Aggravated by Exposure: CHRONIC PULMONARY DISEASE. First Aid:INGEST:DO NOT INDUCE VOMIT-ASPIRATION MAY OCCUR.GET IMMED MED ATTN.VOMIT SPONTANEOUSLY MONITOR FOR BREATHING DIFF.SKIN:REMOVE CONTAMIN CLOTH IMMED.WASH WELL W/SOAP & WATER.IRRIT PERSISTS GET MED ATTN. HI PRESSURE SKIN INJECT SERIOUS MED EMERG. EYE: FLUSH IMMED W/LG AMTS OF WATER OPENING EYELIDS.IRRIT PERSISTS GET MED ATTN.INHAL:REMOVE FROM EXPO SOURCE.NOT BREATH GIVE CPR.DIFF BREATH GIVE OXY.GET MED

Flash Point:100F,38C Lower Limits:0.700 Upper Limits:5.000 Extinguishing Media:USE WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON DIXOIDE TO EXTINGUISH FIRE. Fire Fighting Procedures:COOL FIRE-EXPO CNTNRS,BLDGS,PROT PEOPLE W/WATERSPRAY.LEAK/SPILL NOT IGN VENTI AREA,DISPERSE GAS/VAP W/WATERSPRAY.FL USH AWAY FROM IGN SOUR W/WATER.WEAR SCBA,EQPM Unusual Fire/Explosion Hazard:IRRIT/TOXIC SUBST EMITTED FROM THERMAL DECOMP.DANGEROUS WHEN EXPO TO HEAT/FLAME.RUNOFF TO SEWER CAUSE FIRE/EXPLO HAZ.CNTNR EXPLODE IN HEAT/FIRE.

Spill Release Procedures:STOP/CONTAIN SPILL W/O RISK.KEEP PEOPLE AWAY.ISOLATE AREA.WATERSPRAY TO REDUCE VAP.TAKE UP W/SAMD,OTHER NONCOMBUST ABSORBENT MATL.PLACE INTO CNTNR.DIKE LG SPILLS.REPORT TO

NAT RESP CNTR800-424-8802 IF SPILL ENTERS NAVIGABLE WATER CAUSING SHEEN.

Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CNTNR IN COOL,DRY,ISOLATED,WELLVENTI AREA AWAY FROM HEAT/IGN SOURCES/INCOMPATIBLES.USE NON-SPARKING TOOLS.
Other Precautions:GROUND LINES/EQPMT USED DURING TRANSFER TO REDUCE POSSIBILITY OF STATIC SPARK-INITIATED FIRE/EXPLO.EMPTY CNTNR MAY CONTAIN TOXIC/FLAMM/COMBUST/EXPLO RESIDUE/VAP.DO NOT CUT/GRIND/DRILL/WELD/REUSE/DISPO SE CNTNR UNLESS ADEQ PRECAUTIONS TAKEN.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection:NIOSH/MSHA APPROVED BREATHING EQUIPMENT MUST BE AVAILABLE FOR NON-ROUTINE & EMERGENCY USE.

Ventilation: VENTILATION MAY BE USED TO CONTROL OR REDUCE AIRBORNE CONCENTRATIONS.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: SAFETY GLASSES/CHEMIC GOGGLES.

Other

Protective Equipment:DO NOT WEAR CONTACT LENSES. EYEWASH. PROTECTIVE CLOHTING TO PREVENT SKIN CONTACT.

Work Hygienic Practices: LAUNDER CONTAMINATED CLOTHING PRIOR TO REUSE. WASH HANDS AFTER HANDLING.

Supplemental Safety and Health

HEALTH:CNS EFFECTS, DEGENERATIVE CHANGES IN LIVER, KIDNEYS, BONE MARROW MAY OCCUR W/PROL HI CONCEN.REP/PRO EXPO MAY CAUSE BEHAVIORAL CHANGES.NOTE DR:IF INGEST GASTRIC LAVAGE W/ACTIVATED CHARCOAL CAN BE U SED.CONSIDER INTRATRACHEAL TUBE.PEOPLE INTOXICA

TED W/MIDDLE DISTILLATES SHOULD BE HOSPITALIZED IMMED OBSERVE CNS/CARDPUL

HCC:F3 Boiling Pt:B.P. Text:300F,149C Vapor Pres:0.4 @68F Vapor Density:4.7 Spec Gravity:0.825 @60F pH:NEUTRA Evaporation Rate & amp; Reference:SLOWER, WATER=1 Solubility in Water:NEGLIGIBLE Appearance and Odor:COLORLESS/STRAW/COLORED CLEAR LIQUID W/A HYDROCARBON ODOR. Percent Volatiles by Volume:100

========= Stability and Reactivity D

Stability Indicator/Materials to Avoid:YES
AVOID CONTACT W/STRONG OXIDIZERS.
Stability Condition to Avoid:NONE SPECIFIED BY MFG HOWEVER AVOID HIGH TEMPERATURES, SOURCES OF IGNITION.
Hazardous Decomposition Products:COMBUSTIN MAY PRODUCE REACTIVE HYDROCARBONS, CARBON MONOXIDE AND CARBON DIOXIDE

Waste Disposal Methods:SUBSTANCE WHEN DISCARDED/DISPOSED OF IS NOT SPECIFICALLY LISTED AS HAZ WASTE

BY FED REGS, HOWEVER COULD BE

CHARACTERISTICALLY HAZ IF CONSIDERED TOXIC,CORR,IGNITABLE,REACTIVE IAW FED DEFINITIONS(40CFR26 1).COULD BE HAZ IAW STATE REGS.COMPLY W/ALL REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its u

se. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.