View NSN Online: https://aerobasegroup.com/nsn/8030-01-041-1596

## BAKER SEALANTS & COATINGS CO. -- CORROSION PREVENTIVE COMPOUND -- 8030-01-041-1596

======== Product Identification ============

Product ID:CORROSION PREVENTIVE COMPOUND

MSDS Date:05/09/1990

FSC:8030

NIIN:01-041-1596

MSDS Number: BNCHY === Responsible Party ===

Company Name: BAKER SEALANTS & COATINGS CO.

Address:234 SUDAM AVE

Box:BOX B

City: JERSEY CITY

State:NJ ZIP:07304 Country:US

Info Phone Num:201-437-650

Λ

Emergency Phone Num:201-437-6500 Preparer's Name:CHARLES FRIEDMAN

CAGE:FO833

=== Contractor Identification ===

Company Name: BAKER SEALANTS & COATINGS CO., INC.

Address:234 SUYDAM AVENUE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Phone: (201) 333-6986

CAGE:FO833

Company Name: STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

Company Name: STEVENS INDUSTRIES

Address:39 AVE C

Box:8

City:BAYONNE

State:NJ ZIP:07002 Country:US Phone:201-437-6500

CAGE:70372

======= Composition/Information on Ingredients ========

Ingred Name: AROMATIC

CAS:75-69-4

RTECS #:PB6125000 Fraction by Wt: 14%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1000 PPM

ACGIH TLV:C, 1000 PPM; 9293

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ozone Depleting Chemical:1

Ingred Name:TRICHLOROTRIFLUOROETHANE

CAS:76-13-1

RTECS #:KJ4000000 Fraction by Wt: 19%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1000PPM ACGIH TLV:1000PPM

Ozone Depleting Chemical:1

Ingred Name: BARIUM SULFONATE

CAS:21109-95-5 Fraction by Wt: 3%

Other REC Limits: NONE SPECIFIED

Ingred Name:POLYMETHYLSILOXINE

Fraction by Wt: 7%

Other REC Limits: NONE SPECIFIED

Ingred Name: SILICONE ALKYD

Fraction by Wt: 20%

Other REC Limits: NONE SPECIFIED

Ingred Name: PROPELLENT FREON 12

CAS:75-71-8

RTECS #:PA8200000 Fraction by Wt: 32%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1000 PPM ACGIH TLV:1000 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ozone Depleting Chemical:1

\_\_\_\_\_

=== Hazards Identification ============
Health Hazards Acute and Chronic:EYES-CAN CAUSE IRRITATION.SKIN-CAN CAUSE IRRITATION.INHALE-CAN CAUSE EXCESSIVE
HEADACHE, DIZZINESS, NAUSEA AND UPPER RESPIRATORY INFLAMATION.
======================================
First Aid:EYES-FLUSH WITH WATER. SKIN-WASH WITH SOAP AND WATER AND APPLY CREAM.
======================================
Flash Point:NR Lower Limits:6 Upper Limit s:0.5
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS Unusual Fire/Explosion Hazard:CONTAINER UNDER PRESSURE-KEEP AWAY FROM SPARKS, FIRE AND OPEN FLAME.
========= Accidental Release Measures ==========
Spill Release Procedures:SMALL SPILLS-ABSORBED ONTO AN APPROPRIATE ABSORBENT. LARGE SPILLS-FLUSH WITH WATER INTO RETAINING AREA. AVOID SPARKS, FIRE OR HOT METAL SURFACES.
======================================
Handlin g and Storage Precautions:KEEP COOL AND AWAY FROM SOURCES OF IGNITION,USE WITH ADEQUATE VENTILATION AVOID PROLONGED OR REPEATED PERSONAL CONTACT.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WHEN CONCENTRATION IS ABOVE TIME WEIGHTED TLV USE CARTRIDGE RESPIRATION OR GAS MASK. Ventilation:LOCAL EXHAUST SUFFICIENT TO KEEP TLV DOWN. Protective Gloves:IMPERMEABLE Eye Protection:CHEMICAL GOGGLES. Supplemental Safety and Health NK
========

Vapor Pres:0.5 F
Vapor Density:4.5
Spec Gravity:1.044
Evaporation Rate & Dr. Reference: 0.1
Solubility in Water:NEGLIGIBLE
Appearance and Odor:LIGHT BLUE COLOR
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES
NK
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME OR FIRE.
Hazardous Decomposition Products:THERMAL DECOMPOSTION MAY YEILD MO
NOXIDE AND CARBON DIOXIDE.
======= Disposal Considerations ===========
Waste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATION

IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

====== Physical/Chemical Properties ========

Boiling Pt:B.P. Text:360 TO 410F