

AMOCO OIL CO -- MULTI-PURPOSE GEAR LUBRICANT NO.140 -- 9150-00-056-9523

=====
Product Identification
=====

Product ID: MULTI-PURPOSE GEAR LUBRICANT NO.140

MSDS Date: 08/15/1986

FSC: 9150

NIIN: 00-056-9523

MSDS Number: BNDRS

=== Responsible Party ===

Company Name: AMOCO OIL CO

Address: 200 EAST RANDOLPH DR

City: CHICAGO

State: IL

ZIP: 60601

Country: US

Info Phone Num: 312-856-3907

Emergency Phone Num: 800-447

-8735; 800-424-9300 (CHEMTREC)

Preparer's Name: STEPHEN A. ELBERT

CAGE: 15958

=== Contractor Identification ===

Company Name: AMOCO CHEMICALS CORP

Address: 200 E RANDOLPH DR MC 4001

Box: City: CHICAGO

State: IL

ZIP: 60601-6401

Country: US

CAGE: 15965

Company Name: AMOCO OIL CO

Address: 200 E RANDOLPH DR

Box: City: CHICAGO

State: IL

ZIP: 60601-6401

Country: US

Phone: 312-856-3907 - EM HLTH: 800 447-8735

CAGE: 15958

=====
Composition/Information on Ingredients
=====

Ingred Name: MINERAL OIL, PETROLEUM

DISTILLATES, HYDROTREATED HEAVY
PARAFFINIC; (HYDROFINISHED, SOLVENT REFINED PARAFFINIC PETRO OIL)
CAS:64742-54-7
RTECS #:PY8035500
OSHA PEL:300 PPM
ACGIH TLV:300 PPM

Ingred Name:SOLVENT REFINED RESIDUUM
CAS:64742-01-4

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PROLONGED OR REP
EATED SKIN CONTACT MAY
PRODUCE SOME IRRITATION.
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.
SKIN: FLUSH WITH COPIOUS QUANTITIES OF WATER . INHALATION: REMOVE
FROM EXPOSURE. SUPPORT BREATHING (GIVE ARTIFICIAL
RESPIRATION/OXYGEN) ().
INGESTION: IF LARGE AMOUNT IS SWALLOWED,
INDUCE VOMITING. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:400F,204C
Extinguishing Media:AGENTS APPROVED FOR CLASS B HAZARDS (E.G., DRY
CHEMICAL, CARBON DIOXIDE, HALOGENATED AGENTS, FOAM, STEAM) OR WATER
FOG.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE.

=====
===== Acc

idental Release Measures =====

Spill Release Procedures:TREAT AS OIL SPILL. CONTAIN AND REMOVE BY MECHANICAL MEANS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NO SPECIAL REQUIREMENTS.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE

FOR EXPOSURE OF CONCERN .

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.89 (H2O=1)

Solubility in Water:NEGLIGIBLE,