View NSN Online: https://aerobasegroup.com/nsn/9150-00-252-6371

CROWN OIL & CHEMICAL CO. -- VV-C-850A TYPE II; CUTTING FLUID -- 9150-00-252-6371

Product ID:VV-C-850A TYPE II; CUTTING FLUID

MSDS Date:11/05/1987

FSC:9150

NIIN:00-252-6371

MSDS Number: BNDSK === Responsible Party ===

Company Name: CROWN OIL & CHEMICAL CO.

Address:751 HILL STREET

City:JEFFERSON

State:LA ZIP:70121 Country:US

Info Phone Num:504-733-9133

Emergency Ph

one Num:504-733-9133/800-424-9300(CHEMTREC)

CAGE:0CF76

=== Contractor Identification ===

Company Name: CROWN OIL & CHEMICAL CO.

Address:751 HILL STREET Box:City:JEFFERSON

State:LA ZIP:70121 Country:US

Phone:504 OUT OF BUSINESS

CAGE:0CF76

Company Name: UNI-KEM INTERNATIONAL Address: 1001 HARIMAW COURT EAST

Box:City:METAIRIE

State:LA ZIP:70001 Country:US

Phone:504-835-7600/FAX:504-835-7608

**CAGE:4S446** 

======= Composition/Information on Ingredients ========

Ingred Name: MANUFACTURER LI

Other REC Limits:NONE SPECIFIED OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST)
======================================
LD50 LC50 Mixture:LD50 ORAL RAT > 5000 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MANUFACTURER STATES NO HEALTH HAZARDS. "NOT EXPECTED TO CAUSE IRRITATION." Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. SKIN:WASH WITH SOAP AND WATER. INHALATION:REMOVE TO FRESH AIR. SEE PHYSICIAN IF IRRITATION PERSISTS. INGESTION:CALL A PHYSICIAN. DO NOT INDUCE VOMITING.
======================================
Flash Point Method:PMCC Flash Point:212F ,100C Extinguishing Media:USE WATER FOG OR SPRAY, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF. Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.
========= Accidental Release Measures ==========
Spill Release Procedures:NO IN FORMATION GIVEN ON MSDS BY SUPPLIER Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY SUPPLIER
======================================
Handling and Storage Precautions:NO INFORMATION GIVEN ON MSDS BY SUPPLIER Other Precautions:NO INFORMATION GIVEN ON MSDS BY SUPPLIER
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NO INFORMATION GIVEN ON MSDS BY SUPPLIER Ventilation:MECHANICAL VENTILATION RECOMMENDED. Protective Glov

STED "NONE" FOR HAZARDOUS INGREDIENTS.

Eye Protection:SAFETY GLASSES. Other Protective Equipment:NONE Work Hygienic Practices:NO INFORMATION GIVEN ON MSDS BY SUPPLIER Supplemental Safety and Health NO INFORMATION GIVEN ON MSDS BY SUPPLIER
======== Physical/Chemical Properties =========
HCC:V6 Viscosity:24 CST MIN Appearance and Odor:MANUFACTURER DID NOT SPECIFY.
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid: YES NO INFORMATION GIVEN ON MSDS BY SUPPLIER Stability Condition to Avoid:NO INFORMATION GIVEN ON MSDS BY SUPPLIER Hazardous Decomposition Products:NO INFORMATION GIVEN ON MSDS BY SUPPLIER
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE I/A/W ALL FEDERAL, STATE AND LOCAL REGULATIONS. MANUFACTURER MAKES NO SUGGESTIONS AS TO METHOD OF DISPOSAL.
Disclaimer (provided with this information by the compiling agencies):

es:NEOPRENE OR NITRILE GLOVES RECOMMENDED

n is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.