

BIOCHEMICAL SCIENCES INC SUB OF CMS -- 57011 FORMALIN -- 6505-01-317-4927

=====
Product Identification
=====

Product ID:57011 FORMALIN

MSDS Date:07/24/1992

FSC:6505

NIIN:01-317-4927

MSDS Number: BNKLZ

=== Responsible Party ===

Company Name:BIOCHEMICAL SCIENCES INC SUB OF CMS

Address:603 HERRON DR

Box:518

City:BRIDGEPORT

State:NJ

ZIP:08014-0518

Country:US

Info Phone Num:609-467-1813/800-524-0294

E

mergency Phone Num:508-651-1250/800-524-0294

CAGE:0B0Y1

=== Contractor Identification ===

Company Name:BIOCHEMICAL SCIENCES INC

Address:200 COMMODORE DRIVE

Box:City:SWEDESBORO

State:NJ

ZIP:08085

Country:US

Phone:800-524-0294

CAGE:0B0Y1

=====
Composition/Information on Ingredients
=====

Ingred Name:FORMALDEHYDE, FORMALIN (2A CARCINOGEN BY NTP, IARC, OSHA)
INTENDED CHANGE

CAS:50-00-0

RTECS #:LP8925000

Fraction by Wt: 3.4-4%

OSHA PEL:0.75 PPM/2 PPM

ACGIH TLV:0.37 MG/CUM IC

(2A)
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:IRRITATION OF SKIN, EYES, NOSE, THROAT
& UPPER RESPIRATORY TRACT. INGESTION: POISONOUS, MAY CAUSE BURNING
OF MOUTH; DEATH MAY RESULT. CHRONIC: FORMALDEHYDE IS A MUTAGENIC.
Explanation of Carcinogenicity:SEE INGREDIENTS
Effects
of Overexposure:INGESTION: VOMITING, ABDOMINAL PAIN & DIARRHEA.
Medical Cond Aggravated by Exposure:DISEASES OF THE LUNGS & SKIN

===== First Aid Measures =====

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA W/PLENTY OF
SOAP & WATER. EYES: FLUSH W/PLENTY OF WATER FOR 15 MINS. INGESTION:
INDUCE VOMITING IMMEDIATELY BY GIVING TWO GLASSES OF WATER &
PRESSING FINGER DOWN THROAT. CONTACT A PHYSICIAN IMMEDIATELY.
INHALATION: REMOVE TO FRESH
AIR. IF BREATHING STOPS, BEGIN
ARTIFICIAL RESPIRATION. OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Extinguishing Media:DRY POWDER, FOAM, CO2, WATER SPRAY
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS &
PROTECTIVE CLOTHING.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP W/DAMP SPONGE OR MOP. LARGE: ABSORB
LIQUID W/SAND OR SIMILAR MATERIAL & KEEP FROM ANY FORMS OF
IGNITION.

===== Handling and Storage =====

Handling and Storage Precautions:USE PRECAUTIONS FOR COMBUSTIBLE
LIQUIDS. KEEP AWAY FROM OPEN FLAMES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VAPOR CONCENTRATION BECOMES HIGH, USE NIOSH
APPROVED RESPIRATOR.
Ventilation:LOCAL EXHAUST
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NORMAL LABORATORY

RY APPAREL

Work Hygienic Practices:WASH W/SOAP & WATER AFTER HANDLING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:215F

Vapor Pres:79

Vapor Density:>1

Spec Gravity:1.07

Evaporation Rate & Reference:AS WATER

Solubility in Water:COMPLETE

Appearance and Odor:COLORLESS LIQUID W/CHARACTERISTIC ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CAUSTIC S

ODA, ASH & ALKALIS, AMINES, ACIDS & STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:BURNING MAY PRODUCE CO & CO2

S

Conditions to Avoid Polymerization:HEAT, SPARKS, FLAME

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, &
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.