View NSN Online: https://aerobasegroup.com/nsn/8040-00-726-3567

Product ID: GROUT FILLER, AGGREGATE, PN-0417 MSDS Date:05/25/1990 FSC:8040 NIIN:00-726-3567 Kit Part:Y MSDS Number: BNKQV === Responsible Party === Company Name: COPPS INDUSTRIES, INC. Address:N 90 W 14683 COMMERCE DR Box:844 City:MENOMONEE FALLS State:WI ZIP:53051 Country:US Info Phone Num:414-251-3825 Emergency Phone Num:414-251-3825 CAGE:COPPS === Contractor Identification === Company Name: COPPS INDUSTRIES, INC. Address:N 90 W 14683 COMMERCE DR Box:844 **City:MENOMONEE FALLS** State:WI ZIP:53051 Country:US Phone:414-251-3825 CAGE:COPPS

Ingred Name:SILICA SAND. CAS:14808-60-7 RTECS #:VV7330000 Fraction by Wt: >1% Other REC Limits:NONE SPECIFIED OSHA PEL:SEE TABLE Z3 ACGIH TLV:0.1 MG/M3 RDUST;9293

==========

LD50 LC50 Mixture:NO Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Explanation of Carcinogenicity:SILICA IS LISTED AS A CARCINOGEN Effects of Overexposure:EYES: MAY CAUSE SLIGHT IRRITATION. SKIN: MAY CAUSE SLIGHT IRRITATION. A MODERATE SENSITIZER. INHALATION: MAY CAUSE DIZZINESS AND RESPIRATORY IRRITATION. INGESTION: MAY BE IRRITATING TO INTERNAL TISSUE S.

===

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. OBTAIN MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER; REMOVE AND WASH CONTAMINATED CLOTHING. INHALATION: REMOVE TO FRESH AIR; OBTAIN MEDICAL ATTENTION. INGES TION: INDUCE VOMITING; OBTAIN MEDICAL ATTENTION.

Extinguishing Media:FOAM, CO2, DRY CHEMICAL. Fire Fighting Procedures:FOR MAJOR FIRES: FULL PROTECTIVE EQUIPMENT INCLUDING BREATHING APPARATUS IS RECOMMENDED. HAZARDOUS COMBUSTION PRODUCTS MAY BE PRESENT. Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures:SPREAD ABSORBENT MATERIAL OVER AREA; WIPE OR SCRAPE UP MATERIAL. WASH WITH SOAP AND WATER; PREVENT WASHINGS FROM ENTERING SEWERS OR WATERWAYS.

Handling and Storage Precautions:STORE IN A COOL (60 - 80 F), DRY PLACE.

Other Precautions: REMOVE CONTAMINATED CLOTHING AND GEAR. DECONTAMINATE. DESTROY LEATHER OR ANY ARTICLES WHICH CANNOT BE DECONTAMINATED. CONTACT LENSES SHOULD NOT BE WORN WHILE USING THIS PRODUCT.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NOT NECESSARY UNDER MOST OPERATING CONDITIONS, NIOSH APPROVED ORGANIC VAPOR RESP SHOULD BE USED IN CONFINED AREAS/WHEN CONDITIONS CAUSE HIG H VAPOR CONCENTRATIONS. IF THE PERCENT OXYGEN IS BELOW NORMAL, USE SELF-CONTAINED BREATHING APPARATUS Ventilation: FORCED LOCAL EXHAUST IS RECOMMENDED IN CONFINED AREAS. Protective Gloves: CHEMICAL RESISTANT GLOVES RECOMMENDED. Eye Protection: CHEMICAL SAFETY GOGGLES RECOMMENDED. Other Protective Equipment: EYE WASH STATIONS AND SAFETY SHOWERS SHOULD BE EASILY ACCESSIBLE. CLEAN BODY-COVERING CLOTHING SHOULD BE UTILIZED.

Supplemental Safety and Health

================== Physical/Ch

Spec Gravity:2.650 Appearance and Odor:SAND.

Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH ACIDS AND STRONG OXIDIZING AGENTS. Stability Condition to Avoid:NONE NORMALLY. Hazardous Decomposition Products:NONE NORMALLY. INCOMPLETE COMBUSTION MAY FORM ALDEHYDES, NITROUS OXIDES, CO, CO2. Conditions to Avoid Polymerization: CONTACT WITH ACIDS.

====== Disposal

Waste Disposal Methods: INCINERATE OR BURY IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document shou

Id seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.