View NSN Online: https://aerobasegroup.com/nsn/8040-01-107-3981

Product ID:KA1-E1-CP-125-000-005A1A1 PATCH KIT PART A MSDS Date:03/12/1992 FSC:8040 NIIN:01-107-3981 Kit Part:Y MSDS Number: BNKRY === Responsible Party === Company Name: CLICK BOND INC Address:2151 LOCKHEED WAY City:CARSON CITY State:NV ZIP:89706-0713 Country:US Info Phone Num:702-885-8000 Emergency Phone Num:702-885-8000 Preparer's Name:C. G. HUTTER CAGE:MO938 === Contractor Identification === Company Name: CLICK BOND DIV OF PHYSICAL SYSTEMS INC Address:2151 LOCKHEED WAY Box:City:CARSON CITY State:NV ZIP:89701-0713 Country:US Phone:775-885-8000 CAGE:66530 Company Name: CLICK BOND INC Address:2151 LOCKHEED WAY Box:City:CARSON CITY State:NV ZIP:89706-0713 Country:US Phone:702-885-8000 CAGE:MO938

Ingred Na

me:TRADE SECRET
Other REC Limits:NONE SPECIFIED

Ingred Name:TRADE SECRET Other REC Limits:NONE SPECIFIED

Ingred Name: EPOXY RESIN Other REC Limits: NONE SPECIFIED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Health Hazards Acute and Chronic:SKIN AND/OR EYE IRRITATION. Effects of Overexposure:SKIN AND/OR EYE IRRITATION. Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN CONDITIONS.

======= First

First Aid:WASH SKIN OR EYES WITH WATER IF CONTACT OCCURS.

Flash Point:>212F,>100C Extinguishing Media:DRY CHEMICAL, FOAM, CO2

Spill Release Procedures: ABSORB WITH VERMICULITE, CLAY OR COMMERCIAL ABSORBANT. PLACE IN COVERED CONTAINER FOR DISPOSAL.

Handling and Storage Precautions: KEEP AWAY FROM HIGH TEMPERATURES. Other Precautions: WASH HANDS BEFORE EATING OR SMOKING.

Respiratory Protection:NOT NORMALLY REQUIRED. Ventilation:GENERAL. Protective Gloves:NEOPRENE, RUBBER OR IMPERVIOUS. Eye Protection:SAFETY GLASSES(DONT WEAR CONTACT LENSES) Other Protective Equipment:NONE. Work Hygienic Practices:WASH HANDS BEFORE EATING OR SMOKING. Supplemental Safety and Health

=======

Boiling Pt:B.P. Text:>212 F Vapor Pres:< 0.01 Spec Gravity:1.20 Viscosity:55,000 Evaporation Rate & amp; Reference:< 0.1 Solubility in Water:< 0.1 G/G Appearance and Odor:CLEAR YELLOW LIQUID Percent Volatiles by Volume:< 0.1

Stability Indicator/Materials to Avoid:YES STRONG ACIDS. Stability Condition to Avoid:HIGH TEMPERATURES. Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, ALDEHYDES. Conditions to Avoid Polymerization:HIGH TEMPERATURES.

Waste Disposal Methods: DISPOSE OF IN LANDFILL OR BY INCINERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be ac curate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.