

CRAWFORD LABORATORIES, INC. -- ACTIVATOR, PART B -- 8010-01-313-8700

=====  
Product Identification  
=====

Product ID:ACTIVATOR, PART B

MSDS Date:03/24/1992

FSC:8010

NIIN:01-313-8700

Kit Part:Y

MSDS Number: BNKTB

=== Responsible Party ===

Company Name:CRAWFORD LABORATORIES, INC.

Address:4165 SOUTH EMERALD AVENUE

City:CHICAGO

State:IL

ZIP:60609

Country:US

Info Phone Num:312-376-7132

Emergency Phone

Num:800-424-9300(CHEMTREC)

CAGE:DO165

=== Contractor Identification ===

Company Name:CRAWFORD LABORATIES, INC

Address:4165 SOUTH EMERALD AVENUE

City:CHICAGO

State:IL

ZIP:60609

Phone:800-424-9300 CHEMTREC

CAGE:DO165

Company Name:CRAWFORD LABORATORIES, INC

Address:4165 SOUTH EMERALD AVENUE

Box:City:CHICAGO

State:IL

ZIP:60609

Country:US

Phone:312-376-7132

CAGE:5V430

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 10%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ETHYL KETONE (SARA 313) (VAPOR PRESSURE 71.2 MM HG)  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 20%.  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 PPM/300 STEL  
ACGIH TLV:200 PPM/300 STEL  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:NONYLPHENOL (VAPOR PRESSURE 0.9 MM HG) (CONTAINS TRACE OF  
PHENOL, 108-95-2, 5 PPM TLV)  
CAS:25154-52-3  
RTECS #:SM5600000  
Fraction by Wt: 10%.  
Other REC Limits:NONE SPECIFIED

Ingred Name:META XYLENE DIAMINE  
CAS:1477-55-0  
RTECS #:PF8970000  
Fraction by Wt: THAN AIR  
Spec Gravity:11.69 LBS/GL  
Evaporation Rate & Reference:3.62 X N-BUTYL ACETATE  
Appearance and Odor:WHITE LIQUID.  
Percent Volatiles by Volume:55.8

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
MAY BE INCOMPATIBLE WITH OXIDIZING AGENTS AND STRONG ALKALIE  
S.  
Stability Condition to Avoid:AVOID HEAT, SPARKS, OPEN FLAMES AND  
OXIDIZING AGENTS AND STRONG ALKALIES.  
Hazardous Decomposition Products:INCOMPLETE COMBUSTION FOR PRODUCTS  
LIKE THIS MAY GENERATE HIGHLY POISONOUS CARBON MONOXIDE AND OTHER  
TOXIC GASES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH CURRENT  
LOCAL, STATE AND FEDERAL REGULATION. CONTACT AN APPROVED DISPOSAL  
FACILITY. \*CONTAM CL

OTHING/SHOES. FOLLOW BY WASHING W/SOAP &  
WTR. DO NOT REUSE CONTACT CLOTHING/SHOES. IF IRRITATION PERSISTS, GET  
MEDICAL AID.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.