View NSN Online: https://aerobasegroup.com/nsn/8030-00-285-1570

MALTER INTERNATIONAL BULK CHEMICALS DIV -- MIL-C-11796 CLASS III -- 8030-00-285-1570

Product ID:MIL-C-11796 CLASS III MSDS Date:06/01/1988 FSC:8030 NIIN:00-285-1570 MSDS Number: BNMRG === Responsible Party === Company Name: MALTER INTERNATIONAL BULK CHEMICALS DIV Address:80 FIRST STREET City:GRETNA State:LA ZIP:70053 Country:US Info Phone Num:504-362-3232/800-535 -4095 Emergency Phone Num:504-362-3232 CAGE:DO442 === Contractor Identification === Company Name: BULK CHEMICALS DISTRIBUTORS, INC Address:80 FIRST STREET City:GRETNA, State:LA ZIP:70053 Country:US Phone:504-362-3232 DISCONNECTED(2-20-92) CAGE:56921 Company Name: MALTER INTERNATIONAL, BULK CHEM DIVISION Address:80 FIRST STREET Box:6099 City:GRETNA State:LA ZIP:70053 Phone:504-362-3232 CAGE:DO442

Ingred Name:PALE OIL Fraction by

Wt: 60% Other REC Limits:NONE SPECIFIED ACGIH TLV:5 MG/M3

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES-CAN CAUSE MODERATE IRRITATION. SKIN-PROLONGED OR REPEATED CONTACT CAN CAUSE MODERATE IRRITATION. SWALLOWING-CAN CAUSE GASTROINTESTINAL IRRITATION. Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure: EYES-CAN CAUSE REDNESS AND TEARING. SKIN-CAN CAUSE DEFATTING AND DERMATITIS. SWALLOWING-CAN CAUSE NAUSEA, VOMITING. DIARRHEA. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid:SKIN-THOROUGHLY WASH EXPOSED AREA WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING. EYE-FLUSH WITH LARGE AMOUNTS OF WATER, LIFTING UPPER AND LOWER LIDS OCCASIONAL. SWALLOWED-GIVE 2 GLASSES OF WATER; IN DUCE VOMITING IMMEDIATELY BY STICKING FINGER DOWN THROAT. CALL A PHYSICIAN. BREATHED-IF AFFECTED, REMOVE INDIVIDUAL TO FRESH AIR. Flash Point:460F,238C Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE. Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN PRESSURE DE MAND OR OTHER POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard:WATER OR FOAM MAY CAUSE FROTHING WHICH CAN BE VIOLENT AND POSSIBLY ENDANGER THE LIFE OF THE FIREFIGHTER. Spill Release Procedures: SMALL SPILL: ABSORB LIQUID ON PAPER, VERMICULITE, FLOOR ABSORBENT, OR OTHER ABSORBENT MATERIAL AND TRANSFER TO HOOD.

Handling and Storage Precauti

ons:CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTIED. Other Precautions:NONE

Respiratory Protection: IF TLV IS EXCEEDED, A NIOSH/MSHA JOINTLY APPROVED SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACEPIECE OPERATED IN PRESSURE DEMAND OR OTHER POSITIVE MODE IS ADVISED. Ventilation: NONE Protective Gloves: WEAR BUNA-N, NEOPRENE OR RESISTANT GLOVE Eye Protection: SAFETY GLASSES - CHEMICAL SPLASH GOGGLES Other P rotective Equipment: TO PREVENT REPEATED OR PROLONGED SKIN CONTACT, WEAR IMPERVIOUS RESISTANT GLOVES.

Work Hygienic Practices:READ LABEL CAREFULLY BEFORE USING. Supplemental Safety and Health

HCC:N1 Boiling Pt:B.P. Text:599-760 Vapor Density:>AIR Spec Gravity:LESS THAN WATER Solubility in Water:NONE Appearance and Odor:NONE

Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH STRONG OXIDIZING AGENTS. Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE

Waste Disposal Methods:SMALL SPILL: DESTROY REMAINING MATERIAL BY BURNING IN AN IRON PAN. LARGE SPILL: DESTROY BY LIQUID INCINERATION WITH OFF-GAS SCRUBBER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Depa

## rtment

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.