View NSN Online: https://aerobasegroup.com/nsn/6665-01-112-1644

Product ID: AMPOULE 3 (CLEAR LIQUID BLACK TUBING) MSDS Date:01/01/1987 FSC:6665 NIIN:01-112-1644 Kit Part:Y MSDS Number: BNMSK === Responsible Party === Company Name: BIG SKY FABRICATORS INC Address: US HWY 93 N City:POLSTON State:MT ZIP:59860 Country:US **Emergency Phone Num:NONE** Pr eparer's Name: HMIS TECHNICIAN CAGE:7W168 === Contractor Identification === Company Name: BIG SKY FABRICATORS INC Address: US HWY 93N Box:571 City:POLSON State:MT ZIP:59860 Country:US CAGE:7W168 Ingred Name: METHYL ALCOHOL (METHANOL) (SARA III) CAS:67-56-1 RTECS #:PC1400000 Other REC Limits:NONE SPECIFIED OSHA PEL:S,200PPM/250STEL ACGIH TLV:S,200PPM/250STEL; 93 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:WATER CAS:7732 -18-5 RTECS #:ZC0110000 Other REC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE SKIN AND EYE IRRIATTION ON CONTACT. MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS IF INHALED. Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCI NOGEN.

First Aid:INHALED: REMOVE TO FRESH AIR. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTED: GET IMMEDIATE MEDICAL ATTENTION.

Extinguishing Media:DRY CHEMICAL, FOAM, WATER SPRAY, CARBON DIOXIDE. Fire Fighting Procedures:CLASS 1B FLUID. FLASHBACK MAY OCCUR. WEAR SELF-CONTAINED BREATHING APPA

RATUS AND FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard: FIRE OR HIGH TEMPERATURES MAY PRODUCE TOXIC FUMES.

Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION. VENTILATE AREA. ABSORB WITH INERT MATERIAL AND PLACE IN A CONTAINER FOR DISPOSAL.

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE MATERIALS. STORE IN A COOL, DRY AREA.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR IF ENGINEERING CONTROLS DO NOT EXIST OR ARE INADEQUATE. IF RESPIRATORY PROTECTION IS USED; A PROGRAM IN ACCORDANCE WITH 29 CFR 1910.134 MUST BE IMPLEMENTD.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION.

Protective Gloves:RUBBER/NEOPRENE

Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment: EYE WASH STATION & SAFETY SHO

 WER
Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.
Supplemental Safety and Health
KEY1:F5. MANUFACTURER OUT OF BUSINESS. MSDS GENERATED BY HMIS TECHNICIAN USING CHEMICAL EQUIPMENT DISPOSAL INSTRUCTIONS/SAX/ALDRICH.

HCC:F5 Boiling Pt:=77.8C, 172.F Vapor Density:>1. Spec Gravity:0.926 Evaporation Rate & amp; Reference:>1 (BU ACET=1) Sol ubility in Water:COMPLETE Appearance and Odor:CLEAR,COLORLESS LIQ,CHARACTERISTIC ALC. ODOR.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE SPECIFIED Hazardous Decomposition Products:INCOMPLETELY BURNED CARBON PRODUCTS, CO2, CO.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND

FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to the ir particular situation.