View NSN Online: https://aerobasegroup.com/nsn/6810-00-286-5435

Product ID: ISOPROPYL ALCOHOL; TT-I-735A MSDS Date:09/29/1986 FSC:6810 NIIN:00-286-5435 MSDS Number: BNPNP === Responsible Party === Company Name:CSD INC. Address:5 HACKBERRY LANE Box:687 City:CONROE State:TX ZIP:77305 Country:US Info Phone Num:409-756-1065 Emergency Phone Num:409-756-1065 Preparer's Na me:DGSC-SSH CAGE: JO933 === Contractor Identification === Company Name: CHEMICAL SPECIALISTS AND DEVELOPMENT INC Address:2210 HACKBERRY LN Box:687 City:CONROE State:TX ZIP:77305 Country:US Phone:409-756-1065 CAGE:4N760 Company Name:CSD INC. Address:5 HACKBERRY LANE Box:687 City:CONROE State:TX ZIP:77305 Country:US Phone:409-756-1065 CAGE: JO933

Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt : 99.0% OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN AND RESPIRATORY TRACT, NAUSEA, DIZZINESS, HEADACHE, COUGHING, SHORTNESS OF BREATH. CHRONIC: CNS DEPRESSION. Explanation of Carcinogenicity:P RODUCT CONTAINS NO MATERIALS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA. Effects of Overexposure: EYE IRRITATION, SKIN IRRITATION, RESPIRATORY TRACT IRRITATION, NAUSEA, DIZZINESS, HEADACHE, SHORTNESS OF BREATH. Medical Cond Aggravated by Exposure:NONE NOTED. First Aid:INHALATION: REMOVE TO FRESH AIR, CALL A PHYSICIAN. EYES: FLUSH WITH LARGE AMOUNTS OF WATER; OBTAIN MEDICAL HELP. SKIN: WASH WITH S OAP & WATER. INGESTION: DO NOT INDUCE VOMITING; CALL A PHYSICIAN. Flash Point Method:TCC Flash Point:53F/11.6C Lower Limits:2.0 Upper Limits:12.0 Extinguishing Media: DRY CHEMICAL, WATERFOG, FOAM, CARBON DIOXIDE Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SELF-CONTAINED **BREATHING APPARATUS.** Unusual Fire/Explosion Hazard: KEEP WORK AREAS FREE OF HOT METAL SURFACES AND OTHER SOURCES OF IGNITION.

\_\_\_\_\_

Spill Release Procedures: USE PROPER PERSONAL PROTECTION; CONTAIN FREE LIQUID; USE SUITABLE ABSORBENT MATERIAL AND COLLECT FOR PROPER DISPOSAL.

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA; KEEP AWAY FROM HEAT, OPEN FLAMES. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Protection =======

=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF ABOVE TLV/PEL Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV Protective Gloves:IMPERMEABLE

Eye Protection: CHEMICAL GOGGLES

Other Protective Equipment: EYE-WASH AND SAFETY SHOWERS

Work Hygienic Practices: AVOID CONTACT WITH EYES AND SKIN; DO NOT

BREATHE VAPORS/MIST.

Supplemental Safety and Health

MSDS PREPARED BY DGSC-SSH FROM ANOTHER NSN(6810-00-983-8551) SMAE PRODUCT, ALSO SUPPLIED BY CSD.

\_\_\_\_

HCC:F2 Boiling Pt:=82.2C, 180.F Vapor Pres:33 Vapor Density:2.1 Spec Gravity:0.78 Evaporation Rate & amp; Reference:1.7 (BUTYL ACETATE=1) Solubility in Water:COMPLETE Appearance and Odor:CLEAR,COLORLESS LIQUID WITH ODOR LIKE RUBBING ALCOHOL Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS,OLEUM,AL,METAL NITROF

## ORM Stability Condition to Avoid:HIGH TEMPERATURES,OPEN FLAMES Hazardous Decomposition Products:CARBON MONOXIDE, OR CARBON DIOXIDE AND OTHER TOXIC GASES

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. Th

e United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.