View NSN Online: https://aerobasegroup.com/nsn/9150-00-657-4959

TEXACO INC -- 01841 ATF DEXRON II -- 9150-00-657-4959

Product ID:01841 ATF DEXRON II

MSDS Date:01/01/1987

FSC:9150

NIIN:00-657-4959

MSDS Number: BNQBY
=== Responsible Party ===
Company Name:TEXACO INC

Box:509

City:BEACON

State:NY

ZIP:12508-0509 Country:US

Info Phone Num:914-831-3400 X 204

Emergency Phone Num:914-831-3400/800-424-9300(CHEMTREC)

CAGE:7B131 === Con

tractor Identification ===

Company Name: TEXACO INC

Box:509 City:BEACON

State:NY

ZIP:12508-0509 Country:US

Phone:914-831-3400

CAGE:7B131

======= Composition/Information on Ingredients ========

Ingred Name: ADDITIVE PACKAGE

Fraction by Wt: 4-10.99%

Other REC Limits:5 MG/M3 (OIL MIST)

Ingred Name: MINERAL OIL/SOLVENT-DEWAXED HEAVY PARAFINIC PETROLEUM

DISTILLATES CAS:64742-65-0 RTECS #:PY8038500 Fraction by Wt: 50-64.9%

Other REC Limits:NONE SPECIFIED OSHA PEL:5 MG/M3 AS OIL MIST

Α

CGIH TLV:5 MG/M3 AS OIL MIST Ingred Name: MINERAL OIL CAS:64742-53-6 RTECS #:PY8036000 Fraction by Wt: 20-34.9% Other REC Limits: NONE SPECIFIED OSHA PEL:5 MG/M3 OIL MIST ACGIH TLV:5 MG/M3 OIL MIST =========== Hazards Identification ========================== LD50 LC50 Mixture:LD50 (ORAL RAT) IS > 5000 MG/M3 Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure: MINIMALLY IRRITATING ON SKIN OR EYE CONTACT. BELIEVED TO BE MINIMALLY IRRITATING IF INHALED AND NOT IN EXCESS OF PERMISSIBLE CONCENTRATIONS. PRACTICALLY NON-TOXIC IF SWALLOWED. Medical Cond Aggravated by Exposure: PREEXISTING SKIN DISORDER MAY BE AGGRAVATED WITH THIS PRODUCT. First Aid:OBTAIN MEDICAL HELP IF SYMPTOMS PERSIST. INHALATION:REMOVE TO FRESH AIR. EYE:FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. SKIN:REMOVE EXCESS WITH CLOTH OR PA PER. WASH SKIN WITH SOAP & W ATER. INGESTION: NONE CONSIDERED NECESSARY. ============ Fire Fighting Measures ========================= Flash Point:392F,200C MIN Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL, SAND OR EARTH. WATER OR FOAM MAY CAUSE FROTHING. Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS OPERATED IN+PRESSURE. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual F ire/Explosion Hazard:NONE

======== Accidental Release Measures ===========

Spill Release Procedures: CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP.

============ Handling and Storage ===============

Handling and Storage Precautions:STORAGE-MINIMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MINIMIZED.

Other Precautions: AVOID WATER CONTAMINATION. AVOID C

ONTACT WITH SKIN, EYES, AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. LAUNDER CLOTHING BEFORE REUSE. AVOID INHALING VAPORS OR MISTS. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE. IF TLV EXCEED, WEAR A NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. Ventilation: LOCAL EXHAUST FAN IS RECOMMENDED TO MAINTAIN CONCENTRATION OF OIL MIST IN AIR BELOW RECOMMENDED TLV. Protective Gloves: RUBBER/OIL RESISTANT GLOVES RECOMMENDED **Eve Prot** ection: CHEMICAL SAFETY GOGGLES RECOMMENDED Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health ========= Physical/Chemical Properties ============ HCC:V6 Spec Gravity:0.8794 Appearance and Odor: CLEAR, RED LIQUID - PETROLEUM ODOR ======= Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES Hazardous Decomposition Products: NONE KNOWN. ======= Disposal Considerations ============

Waste Disposal Methods: DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. PRODUCT

HAS BEEN EVALUATED FOR RCRA CHARACTERISTICS AND DOES NOT ME ET

CRITERIA OF A HAZARDOUS WA STE IF DISCARDED IN ITS PURCHASED FORM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsi

bility for the suitability of this information to their particular situation.			