View NSN Online: https://aerobasegroup.com/nsn/6810-00-664-6621

Product ID:TITANIUM OXIDE MSDS Date:05/14/1991 FSC:6810 NIIN:00-664-6621 **MSDS Number: BNQCB** === Responsible Party === Company Name: SPEX INDUSTRIES INC Address:3880 PARK AVE City:EDISON State:NJ ZIP:08820-3012 Country:US Info Phone Num:201-549-7144/FAX 201-494-1747 Emergency Phone Num:201-549-7144/800-424-9300(CHEMTREC) CAGE:07977 === Contractor Identification === Company Name: SPEX CERTIPREP INC Address:203 NORCROSS AVE Box:City:METUCHEN State:NJ ZIP:08840 Country:US Phone:732-549-7144 CAGE:07977

Ingred Name:TITANIUM DIOXIDE CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 100.0% OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9293

LD50 LC50 Mixture:TLV I

S 10 MG/M3 AS TWA. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE- TITANIUM DIOXIDE MAY BE HARMFUL IF INHALED, INGESTED, OR CONTACTED WITH THE EYE OR SKIN. INHALATION MAY BE IRRITATING TO THE LUNGS. SKIN OR EYE CONTACT MAY CAUSE **IRRITATION. CHRONIC- IT IS AN E XPERIMENTAL CARCINOGEN.** Effects of Overexposure: TITANIUM DIOXIDE MAY BE HARMFUL IF INHALED, INGESTED. OR CONTACTED WITH TH E EYE OR SKIN. INHALATION MAY BE IRRITATING TO THE LUNGS. SKIN OR EYE CONTACT MAY CAUSE IRRITATION. IT IS AN EXPERIMENTAL CARC INOGEN. Medical Cond Aggravated by Exposure: PRE-EXISTING CONDITIONS MAY BE WORSEN. First Aid:GET MEDICAL ATTENTION. EYE/SKIN:IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. INHALED: REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL:GET IMMEDIATE MEDIC AL ATTENTIO N. Flash Point:NOT COMBUSTIBLE Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:MAY DECOMPOSE. Spil I Release Procedures:WEAR PROTECTIVE CLOTHING. EVACUATE AND VENTILATE AREA. SWEEP UP AND PLACE IN BAG, HOLD FOR PROPER DISPOSAL.

Handling and Storage Precautions:STORAGE- KEEP IN A COOL, DRY AREA IN A TIGHTLY SEALED CONTAINER.

Other Precautions:DO NOT GENERATE DUST. AVOID BREATHING DUST. DO NOT GET IN EYE, ON SKIN OR ON CLOTHING. PROTECT CONTAINER AGAINST PHYSICAL DAMAGE. KEEP CONTAINER CLOSED. KEEP AWAY FR OM REACH OF CHILDREN.

Respiratory Protection: NONE NORMALLY REQUIRED. IF DUSTY CONDITION, A NIOSH APPROVED AIR SUPPLIED RESPIRATOR OR DUST RESPIRATOR IS ADVISED. Ventilation: MECHANICAL (GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S). Protective Gloves: IMPERVIOUS Eve Protection:SAFETY GLASSES Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS. Work Hygienic Practices :OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health HCC:N1 Melt/Freeze Pt:M.P/F.P Text:3317F,1825C Spec Gravity:4.17 Solubility in Water: INSOLUBLE Appearance and Odor:WHITE POWDER Stability Indicator/Materials to Avoid:YES STRONG ACIDS, STRONG ALKALIS, REDUCING AGENTS, METALS LIKE ALUMINUM, MAGNESIUM, POTASSIUM, SODIUM, ZINC AND LITHIUM Stability Condition to Avoid:FIRE

Hazardous Decomposition Products:TOXIC FUMES

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expr essly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.