

EASTMAN KODAK CO. -- 127 8076 REV. BATH & REPLEN. E-6,E-7 & E-6 -- 6750-01-041-0102
===== Product Identification =====

Product ID:127 8076 REV. BATH & REPLEN. E-6,E-7 & E-6

MSDS Date:08/20/1986

FSC:6750

NIIN:01-041-0102

MSDS Number: BNQCS

=== Responsible Party ===

Company Name:EASTMAN KODAK CO.

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-724-4501/PACK=

JOHN 716-588-3559

Emergency Phone Num:716-722-5151(72)/FAX 716-724-9656

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 95 - 99%

Other REC Limits:NONE SPECIFIED

Ingred Name:PROPIONIC ACI

D (SARA III)
CAS:79-09-4
RTECS #:UE5950000
Fraction by Wt: 1 - 5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:10 PPM
ACGIH TLV:10 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:(NITRILOTRIS(METHYLENE)TRIPHOSPHONIC ACID, K SALT
CAS:2235-43-0
Fraction by Wt: 5 - 10%
Other REC Limits:NONE SPECIFIED

Ingred Name:STANNOUS CHLORIDE
CAS:7772-99-8
RTECS #:XP8700000
Fraction by Wt: 1 - 5%
Other REC Limits:NONE SPECIFIED

Ingred Name:PROPIONIC ACID (SARA III)
CAS:79-09-4
RTECS #:UE5950000
Fraction by Wt: 1 - 5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:10 PPM
ACGIH TLV:10 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:PHOSPHONIC ACID (NITRILO TRIS(METHYLENE))TRI-
CAS:6419-19-8
RTECS #:SZ9860000
Fraction by Wt: 5 - 10%
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:AC

UTE- EYE:NO SPECIFIC HAZARD KNOWN.

HOWEVER, ANY MATERIAL THAT CONTACTS THE EYE MAY BE IRRITATING.

SKIN/INHALATION:LOW HAZARD FOR RECOMMENDED HANDLING. ORAL:NONE KNOWN. CHRONIC-NONE KNOWN.

Effects of Overexposure:ANY MATERIAL THAT CONTACTS THE EYE MAY BE IRRITATING. LOW HAZARD FOR RECOMMENDED HANDLING.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH SENSITIVE SKIN MAY BE MORE ADVERSELY AFFECTED.

===== First Aid Measures =====

First

Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES:FLUSH WITH PLENTY OF WATER. SKIN:FLUSH WITH PLENTY OF SOAP AND WATER. INHALATION:REMOVE TO FRESH AIR. INGESTION:SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:AS APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE

===== Accidenta

I Release Measures =====

Spill Release Procedures:FLUSH MATERIAL TO SEWER WITH LARGE AMOUNTS OF WATER IF REGULATIONS ALLOW.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE AND HANDLING- NONE.

Other Precautions:WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WITH GOOD VENTILATION.

Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves:RUBBER OR PLASTIC RECOMMENDED.

Eye Protection:SAFETY GLASSES/FACE SHIELD

Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND IMPERVIOUS CLOTHING

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

THIS IS FOR FRESHLY MADE WORKING SOLUTION. FOR ORIGINAL, SEE PIN A, SAME NSN.

===== Physical/Chemical Prop

erties =====

HCC:N1

Boiling Pt:B.P. Text:>212F,>100C

Vapor Pres: 18 @ 20C

Vapor Density: 0.6

Spec Gravity:1.01

pH:5.8

Evaporation Rate & Reference:0.4 (N-BUTYL ACETATE=1)

Solubility in Water:COMPLETE

Appearance and Odor:LIQUID

Percent Volatiles by Volume: 95

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE WITH COMMON MATERIALS AND CONTAMINANTS WITH WHICH THE PRODUCT MAY
REASONABLY COME INTO CONTACT.

Stab

ility Condition to Avoid:FIRE

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT
TO FEDERAL, STATE OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this inform

ation to be accurate and

disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.