

E/M CORPORATION, SUB OF GREAT LAKES CHEMICAL CORP -- KRONAPLATE 549 11-424 --
9150-00-235-5555

===== Product Identification =====

Product ID:KRONAPLATE 549 11-424

MSDS Date:10/11/1991

FSC:9150

NIIN:00-235-5555

MSDS Number: BNRDZ

=== Responsible Party ===

Company Name:E/M CORPORATION, SUB OF GREAT LAKES CHEMICAL CORP

Address:2801 KENT AVE.

Box:2400

City:WEST LAFAYETTE

State:IN

ZIP:47906

Country:US

Info Phone Num:317-497-6100

Emergency Phone Num:317-497-6100

CAGE:KO238

=== Contractor Identification ===

Company Name:E / M CO. DIV OF MORGAN CHEMICAL PRODUCTS INC

Address:100 COOPER CIR

Box:3969

City:PEACHTREE CITY

State:GA

ZIP:30269

Country:US

Phone:770-261-4835 / FAX: 770-631-0833

CAGE:8F024

Company Name:E/M CORPORATION,SUB OF GREAT LAKES CHEMICAL CORP

Address:2801 KENT STREET,U.S.HWY.52

Box:2400

City:WEST LAFAYETTE

State:IN

ZIP:47906

Country:US

Phone:317-463-2511

CAGE:KO238

=====

Composition/Information on Ingredients =====

Ingred Name:ANTIMONY TRIOXIDE (SARA III)

CAS:1309-64-4

RTECS #:CC5650000

Fraction by Wt: 204C

Extinguishing Media:CARBON DIOXIDE, FOAM, HALON OR DRY CHEMICAL. WATER MAY CAUSE FROTHING. DO NOT EXTINGUISH WITH WATER.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE

=====

=== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. WEAR GLOVES, GOGGLES AND GAS MASK IF TWA'S ARE EXCEEDED. TRANSFER BULK OF MIXTURE INTO ANOTHER CONTAINER. ABSORB RESIDUE WITH AN INERT MATERIAL SUCH AS EARTH, SAND, OR VERMICULITE. TRANSFER TO A CONTAINER FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE- STORE IN A COOL, DRY VENTILATED PLACE,

AWAY FROM ACIDS, ALKALIES AND OPEN FLAMES.

Other Precautions:DO NOT BREATHE VAPOR OR MISTS. MINIMIZE SKIN CONTACT. DO NOT GET IN EYES. WASH THOROUGHLY AFTER HANDLING. PROTECT CONTAINER FROM PHYSICAL DAMAGE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION. IF EXCESSIVE MISTING (>5 MG/M3), USE SELF-CONTAINED BREATHING APPARATUS.

Ventilation:MECHANICAL

(GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF)

VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:CHEMICAL SAFETY GOGGLES/GLASSES

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER

Work Hygienic Practices:LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Melt/Freeze Pt:M.P/F.P Text:>500F,>260C

Vapor Density:>1

Spec Gravity:0.876

Evap

oration Rate & Reference: