

BEXAR CHEMICAL & SUPPLY, INC -- GLASS CLEANER, KRYSTAL KLEAR -- 7930-00-184-9423

=====
Product Identification
=====

Product ID:GLASS CLEANER, KRYSTAL KLEAR

MSDS Date:04/20/1989

FSC:7930

NIIN:00-184-9423

MSDS Number: BNRNC

=== Responsible Party ===

Company Name:BEXAR CHEMICAL & SUPPLY, INC

Address:15303 TRADESMAN

City:SAN ANTONIO

State:TX

ZIP:78249

Country:US

Info Phone Num:512-493-3171

Emergency

Phone Num:512-493-3171

CAGE:0HXU7

=== Contractor Identification ===

Company Name:BEXAR CHEMICAL & SUPPLY, INC

Address:15303 TRADESMAN

Box:City:SAN ANTONIO

State:TX

ZIP:78249

Country:US

Phone:512-493-3171

CAGE:0HXU7

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

Other REC Limits:NONE SPECIFIED

OSHA PEL:400 PPM

ACGIH TLV:400 PPM

Ingred Name:PROPYLENE GLYCOL MONOMETHYL ETHER

CAS:107-98-2

RTECS #:UB77000

00
Other REC Limits:NONE SPECIFIED
OSHA PEL:N/K100 PPM/150 STEL
ACGIH TLV:100 PPM

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

=====
First Aid Measures
=====

First Aid:IF SWALLOWED, DON'T INDUCE VOMITING. DRINK WATER IN LARGE AMOUNTS AND CALL A PHYSICIAN IMMEDIATELY. EYE: FLUSH EYES WITH RUNNING WATER FOR AT LEAST 15 MIN. IF IRRITATION PERSISTS, OBTAIN MEDICAL ATTENTION. SKIN: FLUSH THOROUGHLY WITH COOL WATER. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====
Fire Fighting Measures
=====

Flash Point Method:PMCC
Flash Point:80.0F,26.7C
Extinguishing Media:VAPORIZING LIQUID, WATER FOG, ALCOHOL FOAM, CO2, DRY CHEMICAL.
Fire Fighting Procedures:WATER HOSE STREAM MAY SPREAD FIRE. USE WATER SPRAY TO KEEP CONTAINERS COOL.
Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL BY AIR MOVEMENT AND MAY BE IGNITED AT LOCATIONS DISTANT FROM HANDLING POINT.

=====
Accidental Release Measures
=====

Spill Release Procedures:EXTINGUISH SOURCES OF POSSIBLE IGNITION. PROVIDE VENT. DIKE & CONTAIN SPILL W/INERT MATERIAL (SAND, EARTH, ETC) COLLECT SPILL W/MOP OR ABSORBENT MATERIAL (SAWDUST ETC). KEEP SPILLS/RUNOFF OUT OF MUNICIPAL SEWERS. AREA SHOULD BE WASHED.

=====
Handling and Storage
=====

Handling and Storage Precautions:NORMAL CARE IN HANDLING AND STORAGE.
Other Precautions:KEEP OUT OF REACH OF CHILDREN. DO NOT STORE NEAR HEAT, SPARKS OR OPEN FLAMES.

=====
Exposure Controls/Personal Protection
=====

Ventilation:LOCAL: N/K; MECHANICAL: AS REQUIRED TO MAINTAIN SECTION II TLV'S.

Work Hygienic Practices:NORMAL
Supplemental Safety and Health

=====

=== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:181 TO 212F

Vapor Density: