View NSN Online: https://aerobasegroup.com/nsn/9150-00-942-9343

SOUTH SIDE ENTERPRISES CORP -- 2190 TEP LUBE LUBRICATING OIL, STEAM TURBINE 9150-00-942-9343

Product ID:2190 TEP LUBE LUBRICATING OIL, STEAM TURBINE

MSDS Date:09/09/1992

FSC:9150

NIIN:00-942-9343

MSDS Number: BNRRP === Responsible Party ===

Company Name: SOUTH SIDE ENTERPRISES CORP

Address:RT 92

Box:100

City: CHASE CITY

State:VA ZIP:23924 Country:US Info Phone Nu

m:804-279-4371 (DGSC-SSH)

Emergency Phone Num:703-448-5369 WRONG NUMBER!

Preparer's Name: DGSC-SSH

CAGE:48122

=== Contractor Identification ===

Company Name: SOUTH SIDE ENTERPRISES CORP

Address:RT 92

Box:100

City: CHASE CITY

State:VA ZIP:23924 Country:US

Phone:703-448-5369 WRONG NUMBER!

CAGE:48122

======= Composition/Information on Ingredients ========

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038500

Other REC Limit

s:NONE SPECIFIED BY M. OSHA PEL:5 MG/M3 OIL MIST ACGIH TLV:5 MG/M3 (OIL MIST)
========== Hazards Identification ===========
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE- ORAL:LOW TOXICITY. MAY CAUSE VOMITING & DIARRHEA. SMALL AMOUNT ASPIRATED INTO LUNGS WILL CAUSE LUNG INJURY. INHALATION:MIST/VAPORS/FUMES MAY CAUSE RESPIRATORY TRACT IRRITATION. EYE:MAY CAUSE IR RITATION. SKIN:REPEATED CONTACT MAY CAUSE IRRITATION. CHRONIC:NONE KNOWN. Effects of Overexposure:ORALLY MAY CAUSE VOMITING & DIARRHEA. SMALL AMOUNT ASPIRATED INTO LUNGS WILL CAUSE LUNG INJURY. INHALATION OF MIST/VAPORS/FUMES MAY CAUSE RESPIRATORY TRACT IRRITATION. CONTACT WITH EYES MAY CAUSE IRRI TATION. REPEATED SKIN CONTACT MAY CAUSEIRRITATION. Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO THIS MATERIAL.
======================================
First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:REMOVE EXCESS. WASH SKIN WITH SOAP & WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO NOT INDUCE VOMITING.GET IMMEDIATE MEDICAL ATTENTION.
=========== Fire Fighting Measures ============
Flash Point:>200F,>93C Extinguishing Media:USE WATER FOG, CO2, FOAM, OR DRY CHEMICAL. DO NOT USE A DIRECT STREAM OF WATER. PRODUCT MAY FLOAT & CAN BE REIGNITED

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS. WATER OR FOAM MAY CAUSE FROTHING.

========= Accidental Release Measures ============

Spill Releas

