View NSN Online: https://aerobasegroup.com/nsn/7930-01-319-0575 TEKONSHA CORPORATION -- AERO GLOSS, 903A -- 7930-01-319-0575 ============= Product Identification ======================== Product ID:AERO GLOSS, 903A MSDS Date:08/09/1991 FSC:7930 NIIN:01-319-0575 MSDS Number: BNRTP === Responsible Party === Company Name: TEKONSHA CORPORATION Address: CUSTOM DIVISION Box:128 City:SYRACUSE State:IN ZIP:46567 Country:US Info Phone Num:219-457-5936 Emergency Phone Num:219-457-4133 CAGE:0J265 == Contractor Identification === Company Name: TEKONSHA CORPORATION Address: CUSTOM DIVISION Box:City:SYRACUSE State:IN ZIP:46567 Country:US Phone:219-457-5936 CAGE:0J265 ======= Composition/Information on Ingredients ========

Ingred Name: HYDROTREATED LIGHT DISTILLATES

CAS:64742-47-8 Fraction by Wt: PROP

Other REC Limits: NONE SPECIFIED

OSHA PEL:100 PPM

========= Hazards Identification ===============

Routes of Entry: Inhalation: UNKNOWN Skin: YES Ingestion: YES

Health Hazards Acute and Chronic:IF SENSITIVE OR ALLERGIC TO PRODUCT, SKIN OR EYE IRRITATION MAY OCCUR. IF INGESTED IRRITATION OF THE DIGESTIVE TRACT MAY OCCUR.
Effects of Overexposure:POSSIBLE IRRITATION.
======================================
First Aid:CALL PHYSICIAN IF INGESTED.
======================================
Flash Point: 143F,62C
Extinguishing Media:CO2, TREAT AS AN OIL FIRE. Fire Fighting P
rocedures:STANDARD. Unusual Fire/Explosion Hazard:NONE.
======== Accidental Release Measures =========
Spill Release Procedures:MOP UP USING SOAP AND WATER.
============ Handling and Storage ==============
Handling and Storage Precautions:DO NOT EXPOSE TO TEMPERATURES ABOVE 150F.
Other Precautions:PROTECTIVE GLOVES IF SENSITIVE TO THE PRODUCT. STANDARD SAFETY GLASSES.
====== Exposure Controls/Personal Protection ========
Ventila tion:STANDARD.
Protective Gloves:GLOVES IF SENSITIVE TO PRODUCT
Eye Protection:STANDARD SAFETY GLASSES. Other Protective Equipment:PROTECTIVE CLOTHES OR APRON.
Supplemental Safety and Health
======== Physical/Chemical Properties =========
Boiling Pt:B.P. Text:114F,46C Vapor Pres:>50 MM
Vapor Density:1.0 Spec Gravity:0.980
Evaporation Rate & Deference: 87
Solubility in Water:EMULSIFY 100% Appearance and Odor:EMULSIFIED POLISH
======== Stability and Reactivity

Stability Indicator/Materials to Avoid:YES
======== Disposal Considerations ==========
Waste Disposal Methods:STANDARD DISPOSAL.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. A ny person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

Data ========

particular situation.