

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 2725, PART A -- 8030-00-051-4011

=====
Product Identification
=====

Product ID:CS 2725, PART A

MSDS Date:08/16/1991

FSC:8030

NIIN:00-051-4011

Kit Part:Y

MSDS Number: BNSWN

=== Responsible Party ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352

Country:US

Info Phone Num:818-982-1650

Emergency Ph

one Num:800-424-9300 CHEMTREC

Preparer's Name:HERBERT H MOORE

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Other REC Limits:NONE SPECIFIED

Ingred Name:VOC: 9 GM/LITER

RTECS #:9999999VO

Other REC Limits:NONE SPECIFIED

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation: YES Skin: NO Ingestion: YES
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: FOR SENSITIVE INDIVIDUALS, REDNESS AND ITCHING OF SKIN MAY OCCUR ON REPEATED EXPOSURE. DERMATITIS MAY RESULT FROM PROLONGED OR FREQUENT CONTACT.
Effects of Overexposure: EYE IRRITATION WITH TEARING AND REDNESS. ITCHING AND REDNESS OF SKIN.
Medical Cond Aggravated by Exposure: EZEMA OR PREVIOUS SKIN IRRITATION OR ALLERGY.

=====
First Aid Measures
=====

First Aid: EYES: FLUSH WITH FLOWING WATER FOR AT LEAST 15 MINUTES. OBTAIN MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER.

=====
Fire Fighting Measures
=====

Flash Point Method: TCC
Flash Point: >200F, >93C
Extinguishing Media: FOAM, DRY CHEMICAL, WATER SPRAY, CO2.
Fire Fighting Procedures: IN CONFINED AREAS, WEAR SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard: NONE.

=====
Accidental Release Measures
=====

Spill Release Procedures: SCOOP UP AND RETURN TO CONTAINER. REMOVE RESIDUE WITH SOAP AND WATER OR 1,1,1 TRICHLOROETHANE.
Neutralizing Agent: AMINES, ORGANIC ACIDS.

=====
Handling and Storage
=====

Handling and Storage Precautions: STORE IN COOL DRY AREAS, AWAY FROM DIRECT SUNLIGHT. KEEP IN CLOSED CONTAINERS. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
Other Precautions: WASH CONTAMINATED CLOTHING BEFORE REUSE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection: MSHA/NIOSH APPROVED ORGANIC VAPOR RESPIRATORS FOR HOT MATERIAL.
Ventilation: LOCAL EXHAUST: HOOD. MECHANICAL (GENERAL): FAN.
Protective Gloves: NITRILE OR NEOPRENE.
Eye Protection: SAFETY GLASSES WITH SPLASH GUARDS.
Other Protective Equipment: APRON, SAFETY SHOES, EYE WASH STATIONS.
Work Hygienic Practices: DO NOT SMOKE, DRINK OR EAT IN WORK

AREAS.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>400F,>204C

Melt/Freeze Pt:M.P/F.P Text:LIQ@RM TEMP

Decomp Temp:Decomp Text:ABOVE BOIL

Vapor Pres:1

Spec Gravity:1.6 (WATER=1)

pH:8.5

Viscosity:HEAVY MASTIC

Evaporation Rate & Reference: