

JET-LUBE INC. -- LEAD-FREE ANTI-SEIZE LUBRICANT -- 8030-00-059-2761

=====
Product Identification
=====

Product ID:LEAD-FREE ANTI-SEIZE LUBRICANT

MSDS Date:01/07/1992

FSC:8030

NIIN:00-059-2761

MSDS Number: BNSWR

=== Responsible Party ===

Company Name:JET-LUBE INC.

Address:4849 HOMESTEAD ROAD

Box:21258

City:HOUSTON

State:TX

ZIP:77226

Country:US

Info Phone Num:713-674-7617/713-370-6206

Emergency Pho

ne Num:713-674-7617

Preparer's Name:DONALD A OLDIGES

CAGE:JO923

=== Contractor Identification ===

Company Name:JET-LUBE INC

Address:4849 HOMESTEAD RD

Box:21258

City:HOUSTON

State:TX

ZIP:77026

Country:US

CAGE:0A307

Company Name:JET-LUBE INC.

Address:4849 HOMESTEAD ROAD

Box:21258

City:HOUSTON

State:TX

ZIP:77226

Country:US

Phone:713-674-7617

CAGE:JO923

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM OIL

CAS:64741-96-4

RTECS #:PY8040000

Fraction by Wt: 70

% MAX
Other REC Limits:NONE SPECIFIED
OSHA PEL:OIL MIST TWA 5 MG/M3

Ingred Name:COPPER POWDER (SARA III)
CAS:7440-50-8
RTECS #:GL5325000
Fraction by Wt: 10% MAX
Other REC Limits:NONE SPECIFIED
ACGIH TLV:1 MG/M3
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:REPEATED SKIN CONTACT FOR PERSONS
HYPERSENSITIVE TO PETROLEUM PRODUCTS CAN CAUSE REDN
ESS AND
IRRITATION OF SKIN.
Effects of Overexposure:REDNESS AND IRRITATION OF SKIN.
Medical Cond Aggravated by Exposure:UN

=====
===== First Aid Measures =====

First Aid:INHALATION: CLEAR AIR PASSAGE, CALL PHYSICIAN. INGESTION: IF
INGESTED, CALL PHYSICIAN. EYES: WASH WITH COPIOUS QUANTITIES OF
WATER. SKIN: REMOVE BY WIPING, OR WATERLESS HAND CLEANER, FOLLOWED
BY WASHI NG.

=====
===== Fire Fighting Measures =====

Flas
h Point Method:COC
Flash Point:>430F,>221C
Autoignition Temp:Autoignition Temp Text:>500F
Extinguishing Media:USE FOAM, DRY CHEMICAL, WATER SPRAY (FOG), CARBON
DIOXIDE, OR VAPORIZING LIQUID TYPE EXTINGUISHING AGENTS.
Fire Fighting Procedures:USE SUPPLIED-AIR BREATHING EQUIPMENT FOR
ENCLOSED OR CONFINED SPACES.
Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP EXCESS, WIPE UP WITH RAGS, PICK-UP
R

