View NSN Online: https://aerobasegroup.com/nsn/8040-00-266-7429

Product ID: PAPER LABEL ADHESIVE MSDS Date:01/01/1987 FSC:8040 NIIN:00-266-7429 MSDS Number: BNTDJ === Responsible Party === Company Name: BAKER SEALANTS AND COATINGS CO Address:234 SUYDAM AVE City: JERSEY CITY State:NJ ZIP:07304 Country:US Info Phone Num:201-333-6986 **Emergency Phone Num:201** -333-6986 CAGE:34094 === Contractor Identification === Company Name: BAKER SEALANTS AND COATINGS CO Address:234 SUYDAM AVE Box:City:JERSEY CITY State:NJ ZIP:07304-3306 Country:US Phone:201-333-6986 CAGE:34094 Company Name: STEVEN INDUSTRIES Address:39 AVENUE C Box:8 **City:BAYONNE** State:NJ ZIP:07002-3417 Country:US Phone:201-437-6501 CAGE:33150

Ingred Name:VEHICLE Fraction by Wt: 15% Other REC Limits:NONE SPECIFIED

Ingred Name:V

M&P NAPHTHA, SOLVENTS CAS:8030-30-6 RTECS #:DE3030000 Fraction by Wt: 85%
Other REC Limits:NONE SPECIFIED ACGIH TLV:500 PPM
======================================
Effects of Overexposure: GROGGINESS, DIZZINESS, NAUSEA.
======================================
First Aid:TAKE INTO FRESH AIR.
======================================
Flash Point:>50F,>10C Lower Limits:.90 Upper Limits:6.0 Extinguishing Media:C O2, DRY CHEMICAL EXTINGUISHER. Unusual Fire/Explosion Hazard:CAN GENERATE CARBON MONOXIDE BY INCOMPLETE BURNING.
======================================
Spill Release Procedures: KEEP AWAY FROM OPEN FLAME. USE NORMAL CLEAN UP AS RAPIDLY AS POSSIBLE.
======================================
Handling and Storage Precautions:DO NOT STORE WITH OPEN FLAMES PRESENT. DO NOT STORE ABOVE 90 F. Other Precautions:KEEP AWAY FROM OPEN FLAM E.
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection:REGULAR RESPIRATORY MASK FOR NAPHTHAS. Ventilation:USE LOCAL EXHAUST. Protective Gloves:IF DESIRED. Eye Protection:GOGGLES. Supplemental Safety and Health
======================================
HCC:F2 Boiling Pt:B.P. Text:>250F,>121C Spec Gravity:.750 Evaporation Rate & amp; Reference:7.1 (ETHER=1) Solubility in Water:INSOLUBLE Appearance and Odor:COLORLESS LIQUID Percen

t Volatiles by Volume:87

Stability Indicator/Materials to Avoid:YES

Waste Disposal Methods:NORMAL WASTE DISPOSAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants thi s information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.