View NSN Online: https://aerobasegroup.com/nsn/8030-00-518-3439

COURTAULDS AEROSPACE, INC -- P/S 870 B-2 #0870B121 -- 8030-00-518-3439

Product ID:P/S 870 B-2 #0870B121

MSDS Date:06/21/1996

FSC:8030

NIIN:00-518-3439

Kit Part:Y

MSDS Number: BNTGT === Responsible Party ===

Company Name: COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Info Phone Num:818-240-2060

Emergen

cy Phone Num:800-424-9300 (CHEMTREC) Preparer's Name:SEROJE HARTOONIANI

CAGE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

======= Composition/Information on Ingredients ========

Ingred Name: MAGNESIUM CHROMATE (SARA 313)

CAS:13423-61-5 Fraction by Wt: 25.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.1 MG/M3

(AS CR) ACGIH TLV:0.05 MG/M3 Ingred Name: 1,3 DIPHENYL GUANIDINE CAS:102-06-7 Fraction by Wt: 200F,>93C Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures: USE AIR-SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard: EXCESSIVE HEAT MAY CAUSE DECOMPOSITION OF MANGANESE DIOXIDES RESULTING IN OXIDATION & POSSIBLE IGNITION OF HYDROCARBON VEHICLE. ======== Accidental Release Measures ============= Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN UP RESIDUE W/ SUITABLE SOLVENT. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT REQUIRED Ventilation: GENERAL Protective Gloves: SOLVENT RESISTANT Eye Protection: SAFETY GLASSES Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING, BEFORE SMOKING OR EATING. AVOID INGESTION. Supplemental Safety and Health NK ======== Physical/Chemical Properties ============ Boiling Pt:B.P. Text:644F,340C Vapor Density:NONVOL. Spec Gravity:1.801 pH:NA Viscosity:1500 @ 10RPM Evaporation Rate & Evaporation R Solubility in Water:SLIGHT. Appearance and Odor:BLACK PASTE Percent Volatiles by Volume:0.0 Corrosion Rate:NA ======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

EASILY OXIDIZABLE MATERIALS.

Hazardous Decomposition Products: OXIDES OF CARBON & NITROGEN, CHROMIUM & MANGANESE COMPOUNDS.

== Disposal Considerations =========

Waste Disposal Methods:EPA WASTE #D-007. DISPOSE IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.