View NSN Online: https://aerobasegroup.com/nsn/8030-00-670-8553

## FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 2725, PART B -- 8030-00-670-8553

============= Product Identification ========================

Product ID:CS 2725, PART B

MSDS Date:09/05/1990

FSC:8030

NIIN:00-670-8553

Kit Part:Y

MSDS Number: BNTKK === Responsible Party ===

Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Info Phone Num:818-982-1650 FAX 818

-765-5603

Emergency Phone Num:818-982-1650 Preparer's Name:HERBERT H MOORE

CAGE:14439

=== Contractor Identification ===

Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949 Country:US

Phone:818-982-1650

CAGE:14439

======= Composition/Information on Ingredients ========

Ingred Name:TRIETHYLENE PENTAMINE

CAS:112-57-2

RTECS #:KH8585000 Fraction by Wt: 5%

Other REC Limits:5 PPM (SKIN)

Ingred Name: VOC: 1 GM/LITER

RTECS#

======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:VAPOR/MIST CAN IRRITATE THE NOSE AND THROAT. SEVERELY IRRITATING TO EYES AND SKIN. MATERIAL CAN CAUSE SKIN SENSITIZATION AND DERMATITS. Effects of Overexposure:HEADACHE, DIZZINESS, TEARING OF EYES AND NOSE IRRITATION. ITCHING OF SK IN WITH SIGN OF REDNESS. Medical Cond Aggravated by Exposure:ASTHMA, LIVER.
======================================
First Aid:EYE AND SKIN CONTACT: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. CONSULT PHYSICIAN, WASH SKIN WITH SOAP AND WATER.
============= Fire Fighting Measures ===============
Flash Point Method:TCC Flash Point:>200F,>93C Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER SPRAY. Fire Fighting Procedures:IN CONFINED AREAS WE AR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:OXIDES OF NITROGEN, MAY BE PRODUCTS OF COMBUSTION.
========= Accidental Release Measures ===========
Spill Release Procedures:SCOOP UP AND RETURN TO CONTAINER. WASH AREA WITH SOAP AND WATER. Neutralizing Agent:ACID.
======================================
Handling and Storage Precautions:AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH CONTAMINATED CLOTHING BEFOR

:999999VO

Other REC Limits:NONE SPECIFIED

E REUSE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR CANISTER.  Ventilation:LOCAL EXHAUST: YES. MECHANICAL (GENERAL): FAN.  Protective Gloves:RUBBER GLOVES.  Eye Protection:SAFETY GLASSES.  Other Protective Equipment:APRON AND SAFETY SHOES.  Work Hygienic Practices:DO NOT SMOKE, DRINK OR EAT IN WORK AREAS.  Supplemental Safety and Health KEY1:N1.
========= Physical/Chemical Properties ====================================
HCC:N1 Boiling Pt:B.P. Text:550F,288C Melt/Freeze Pt:M.P/F.P Text:LIQ@RM TEMP Vapor Pres: