

SYON CORPORATION -- 39-900000-195 SEAL-N-PLACE PART B -- 8040-01-108-6660

=====
Product Identification
=====

Product ID:39-900000-195 SEAL-N-PLACE PART B

MSDS Date:04/01/1985

FSC:8040

NIIN:01-108-6660

Kit Part:Y

MSDS Number: BNTQN

=== Responsible Party ===

Company Name:SYON CORPORATION

Address:280 ELIOT STREET

City:ASHLAND

State:MA

ZIP:01721

Country:US

Info Phone Num:508-881-8852

Emergency Phone

Num:508-881-8852

CAGE:SYONC

=== Contractor Identification ===

Company Name:SYON CORPORATION

Address:280 ELIOT STREET

City:ASHLAND

State:MA

ZIP:01721

Country:US

Phone:508-881-8852

CAGE:SYONC

=====
Composition/Information on Ingredients
=====

Ingred Name:NONHAZARDOUS INGREDIENTS: THIS COMPOUND CONTAINS NO
MATERIALS IDENTIFIED AS HAZARDOUS BY EITHER THE MASSACHUSETTS *
Other REC Limits:NONE SPECIFIED

Ingred Name:** RIGHT TO KNOWN LAW OR BY THE OSHA SAFETY AND HEALTH
STA

NDARDS 29 CFR 1910 SUBPART Z "TOXIC & HAZARDOUS SUBSTANCES"

RTECS #:9999999ZZ

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT): 2500 MG/KG.

Health Hazards Acute and Chronic:CONTACT WITH EYES MAY CAUSE IRRITATION. SKIN CONTACT MAY CAUSE ALLERGENIC-SENSITIZATION DERMATITIS.

===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IMMEDIATELY. INHALATION: REMOVE TO

FRESH AIR. EYES: FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. SKIN: WASH PROMPTLY WITH SOAP AND WATER. CONSULT A PHYSICIAN IF IRRITATION PERSISTS.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:315F,157C

Extinguishing Media:C02, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures ==

=====

Spill Release Procedures:WEAR APPROPRIATE PROTECTIVE CLOTHING AND RESPIRATOR. SCOOP UP EXCESS AND REMOVE. RESIDUAL CAN BE REMOVED WITH NONFLAMMABLE SOLVENT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR RESPIRATOR.

Ventilation:LOCAL & MECHANICAL EXHAUST.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:SPLASH-PROOF GOGGLES.

Other Protective Equipment:SAFETY SHOWER AND EYE WASH FACILITIES.

Sup

plemental Safety and Health

===== Physical/Chemical Properties =====

Spec Gravity:1.14
Solubility in Water:SLIGHT
Appearance and Odor:AMBER LIQUID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:STORAGE AT ELEVATED TEMPERATURES OVER LONG PERIODS OF TIME.
Hazardous Decomposition Products:CO, CO2, OXIDES OF NITROGEN, OXIDES OF SULFUR.
Condi
ons to Avoid Polymerization:EXCESSIVE EXOTHERMS WHEN CURED.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN ACCORDANCE WITH LOCAL POLLUTION REGULATIONS AND ORDINANCES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.