View NSN Online: https://aerobasegroup.com/nsn/8030-00-598-5765

MASTER PRODUCTS -- OLD MASTERS PASTE WOOD FILLER -- 8010-00-598-5765

Product ID:OLD MASTERS PASTE WOOD FILLER

MSDS Date:06/14/1988

FSC:8010

NIIN:00-598-5765

MSDS Number: BNWMT === Responsible Party ===

Company Name: MASTER PRODUCTS

Address:INDUSTRIAL AIRPARK

City:ORANGE CITY

State:IA ZIP:51041 Country:US

Info Phone Num:712-737-3436 / 712-737-4993

Emergency Phone

Num:712-737-3436 / 712-737-4993

CAGE:MASTE

=== Contractor Identification ===

Company Name: MASTER PRODUCTS Address: 1900 ALBANY PLACE SOUTH

City:ORANGE CITY

State:IA ZIP:51041 Country:US

Phone:712-737-4996

CAGE:MASTE

======= Composition/Information on Ingredients ========

Ingred Name:MINERAL SPIRITS (VAPOR PRESSURE 2.0 MM HG) (LEL 7%)

CAS:64741-41-9 Fraction by Wt: 15%

Other REC Limits: NONE SPECIFIED

OSHA PEL:500 PPM ACGIH TLV:100 PPM

Ingred Name: METHANOL (SARA 313) (VAPOR PRESSURE

Fraction by Wt: .5% Other REC Limits:NONE SPECIFIED OSHA PEL:S,200PPM/250STEL ACGIH TLV:S,200PPM/250STEL; 93 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS
======================================
Health Hazards Acute and Chronic:ACUTE: INHAL OF VAPORS COULD CAUSE RESP IRRIT. LIQ COULD IRRITATE/DAMAGE EYES. REPEATED/PROLONGED OVEREXPOSURE TO SOLVENTS: PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. CONC/INHAL CON TENTS MAY BE HARMFU L/FATAL. CENTRAL NERV SYS, RESP SYSTEM,LUNG, EYE, SKIN, LIVER, GASTROINTESTINAL TRACT, SPLEEN, KIDNEY & BLOOD. Medical Cond Aggravated by Exposure:CONSULT PHYSICIAN.
======================================
First Aid:INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. TREATMENT SYMPTOMATICALLY. CONSULT A PHYSICIAN. EYES: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. TAKE TO A PHYSICIAN FOR MEDICAL TRE ATMENT. SKIN: WIPE OFF WITHTOWEL. REMOVE REMAINDER WITH MINERAL SPIRITS, TURPENTINE OR LACQUER THINNER. WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING.
======================================
Flash Point:104F,40C Lower Limits:SEE INGREDS Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, OR FIRE FOAM. Fire Fighting Procedures:KEEP AWAY FROM HEAT, SPARKS AND FLAME. Unusual Fire/Explosion Hazard:WATER IS UNSUITABLE, BUT MAY BE USED TO COOL CLOSED C ONTAINERS.
========= Accidental Release Measures ============
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION (FLAMES, HOT SURFACES AND ELECTRICAL, STATIC OR FRICTIONAL SPARKS). AVOID BREATHING VAPORS, VENTILATE AREA. USE NON-SPARKING TOOLS. REMOVE WITH INERT ABSORBENT.
======================================
Handling and Storage Precautions:DO NOT STORE NEAR HEAT, SPARKS OR FLAME. Other Precautions:NONE
======= Fyn

96 MM HG) (LEL 6.0%) CAS:67-56-1

RTECS #:PC1400000

Respiratory Protection: IN CONFINED AREAS OF POOR VENTILATION, USE CHEMICAL CARTRIDGE RESPIRATOR OR SELF-CONTAINED BREATHING APPARATUS.

Ventilation:PROVIDE GEN DILUTION/LOCAL EXHAUST VENT IN VOLUME AND PATTERN TO KEEP TLV/LEL OF HAZARD INGRED BELOW ACCEPTABLE LIMITS.

Protective Gloves: NONE REQUIRED EXCEPT PROLONGED CONTACT

Eye Protection: SAFETY GLASSES, GOGGLES IF SPLASH/SPRAY

Other Protective Equipment:NONE

Work Hygienic Practices:WA

SH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING.

Supplemental Safety and Health

======== Physical/Chemical Properties ===========

HCC:F4

Boiling Pt:B.P. Text:147 TO 380F

Vapor Density:> AIR

Spec Gravity:13.36 LBS/GAL

Evaporation Rate & Evaporation R

Percent Volatiles by Volume:29.27

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

UNKNOWN.

Stability Condition to Avoid:FIRE, BURNING, AND

WELDING.

Hazardous Decomposition Products:FIRE, BURNING AND WELDING MAY GENERATE CARBON MONOXIDE.

======= Disposal Considerations ============

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

17MAR92

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in

no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.