

CLICK BOND, INC -- KA1-E1-CP-125-000-005A1A1 PATCH KIT, PART A -- 8040-01-107-3981

=====
Product Identification
=====

Product ID:KA1-E1-CP-125-000-005A1A1 PATCH KIT, PART A

MSDS Date:04/28/1992

FSC:8040

NIIN:01-107-3981

Kit Part:Y

MSDS Number: BNWRZ

=== Responsible Party ===

Company Name:CLICK BOND, INC

Address:2151 LOCKHEED WAY

City:CARSON CITY

State:NV

ZIP:89706-0713

Country:US

Info Phone Num:7

02-885-8000/702-883-0191

Emergency Phone Num:702-885-8000

Preparer's Name:A B CARTER

CAGE:MO939

=== Contractor Identification ===

Company Name:CLICK BOND DIV OF PHYSICAL SYSTEMS INC

Address:2151 LOCKHEED WAY

Box:City:CARSON CITY

State:NV

ZIP:89701-0713

Country:US

Phone:775-885-8000

CAGE:66530

Company Name:CLICK BOND, INC

Address:2151 LOCKHEED WAY

City:CARSON CITY

State:NV

ZIP:89706

Country:US

Phone:702-885-8000/702-883-0191

CAGE:MO939

=====
Composition/Information on Ingredients
=====

=====

Ingred Name:TRADE SECRET RESIN (EPOXY)
Other REC Limits:NONE SPECIFIED

Ingred Name:TRADE SECRET RESIN (EPOXY)
Other REC Limits:NONE SPECIFIED

Ingred Name:TRADE SECRET RESIN (EPOXY)
Other REC Limits:NONE SPECIFIED

Ingred Name:TRADE SECRET INFORMATION AVAILABLE ON REQUEST TO QUALIFIED
MEDICAL PERSONNEL.
RTECS #:9999999ZZ
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES
S
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: MAY CAUSE MINOR SKIN AND/OR EYE
IRRITATION. CHRONIC: NO LONG TERM EFFECTS HAVE BEEN NOTED DUE TO
EXPOSURE TO THIS MATERIAL.
Effects of Overexposure:SKIN AND/OR EYE IRRITATION.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN CONDITIONS.

===== First Aid Measures =====

First Aid:SKIN: WASH SKIN OR EYES WITH WATER IF CONTACT OCCURS.
INGESTION: DO NOT INDUCE VOMITING. GIVE LARGE AMOUNTS OF WATER OR
MILK IF AVAILABLE AND TRANSPORT TO MEDICAL FACILITY.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:314F,157C
Extinguishing Media:DRY CHEMICAL, FOAM, CO2.
Fire Fighting Procedures:NONE.
Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH VERMICULITE, CLAY OR COMMERCIAL
ABSORBENT. PLACE IN CO

