

ABLESTIK LAB SUB OF NATL STARCH/CHEM -- LCA-49 -- 8040-01-025-3272

=====
Product Identification
=====

Product ID:LCA-49

MSDS Date:03/18/1987

FSC:8040

NIIN:01-025-3272

MSDS Number: BNZSC

=== Responsible Party ===

Company Name:ABLESTIK LAB SUB OF NATL STARCH/CHEM

Address:20021 SUSANA RD

Box:9067

City:RANCHO DOMINGUEZ

State:CA

ZIP:90221

Country:US

Info Phone Num:213-532-9341

Emergency Phone Num:213-

764-4600

CAGE:21109

=== Contractor Identification ===

Company Name:ABLESTIK LABS SUB OF NATIONAL STARCH AND CHEMICAL

Address:20021 SUSANA RD

Box:City:COMPTON

State:CA

ZIP:90221

Country:US

Phone:310-764-4600

CAGE:21109

=====
Composition/Information on Ingredients
=====

Ingred Name:2,2-BIS(4-(2,3-EPOXYPROPYLOXY)PHENYL)PROPANE, BISPHENOL A
DIGLYCIDYL ETHER, EPON 828, EPOXIDE A

CAS:1675-54-3

RTECS #:TX3800000

Fraction by Wt: 60-70%

Ingred Name:PRIMARY-SECONDARY AMINE COMPLEX

Fraction by Wt: 5-10%

Ingred Name:INORGANIC FILLER

Fraction by Wt: 30-40%

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: IRRITATION &
SENSITIZATION. INHALATION: SENSITIZATION.
Explanation of Carcinogenicity:NONE

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH
W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN:
WASH THOROUGHLY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR.
INGESTION: OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
===== Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:>200
Extinguishing Media:CO2, DRY CHEMICAL, FOAM
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP W/SOLV
ENT SATURATED TOWELING & COLLECT
IN AN APPROPRIATE CONTAINER FOR DISPOSAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID INHALATION OF VAPORS/CONTACT
W/EYES, SKIN & CLOTHING. STORE FROZEN (-104F) AT ALL TIMES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED ORGANIC VAPOR RESPIRATOR
Ventilation:LOCAL EXHAUST. VENT CURING OVENS TO OUTDOORS.
Protective Gloves:RUBBER

Eye Protection:SAFETY GOGGLES W/SIDE SHIELDS
Other Protective Equipment:PROTECTIVE EQUIPMENT
Work Hygienic Practices:USE GOOD HOUSEKEEPING.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>260F
Vapor Pres:1
Vapor Density: