View NSN Online: https://aerobasegroup.com/nsn/3439-00-262-4285

Product ID:AZ 92A MSDS Date:07/01/1990 FSC:3439 NIIN:00-262-4285 MSDS Number: BPBKR === Responsible Party === Company Name: HARRIS J W CO INC Address:10930 DEERFIELD RD. City:CINCINNATI State:OH ZIP:45242-4110 Country:US Info Phone Num:513-891-2000 Emergency Phone Num:800-424-9300 CAGE: JO820 === Contractor Identific ation === Company Name: J. W. HARRIS CO., INC Address:10930 DEERFIELD RD Box:City:CINCINNATI State:OH ZIP:45242-4110 Country:US Phone:513-891-2000 CAGE: JO820 Company Name: J. W. HARRIS CO., INC. Address:10930 DEERFIELD ROAD Box:City:CINCINNATI State:OH ZIP:45242-4110 Country:US Phone:513-891-2000 CAGE:27911

Ingred Name:MAGNESIUM OXIDE CAS:1309-48-4 RTECS #:OM3850000 Fraction by Wt: BALANCE Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 PARTICULATE ACGIH TLV:10 MG/M3;TDUST; 9293

Ingred Name:ALUMINUM (SARA III) CAS:7429-90-5 RTECS #:BD0330000 Fraction by Wt: 9.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:15MG/M3 DUST/5 FUME ACGIH TLV:10MG/M3 DUST; 9192

Ingred Name:ZINC OXIDE CAS:1314-13-2 RTECS #:ZH4810000 Fraction by Wt: 2.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:15MG/M3 TDUST/5 FUME ACGIH TLV:10MG/M3 TDUST; 9293

Ingred Name:MANGANESE (SARA III) CAS:7439-96-5 RTECS #:OO9275000 Fraction by Wt: 0.15% Othe r REC Limits:NONE RECOMMENDED OSHA PEL:(C) 5 MG/M3 DUST ACGIH TLV:5 MG/M3 DUST 9293

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:FUME AND DUST WOULD BE CONSIDERED IRRITANTS. ZINC FUME MAY CAUSE METAL FUME FEVER. LONG TERM EXPOSURE TO GENERAL WELDING FUME, GASES, OR DUST MAY CONTRIBUTE TO PULMONARY IRRITATION OR PNEUMOC ONIOSIS. Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:INDIVIDUALS WITH IMPAIRED PULMONARY FUNCTIONS OR ILLNESS MAY HAVE SYMPTOMS EXACERBATED BY FUME IRRITANTS.

First Aid:REMOVE FORM DUST OR FUME EXPOSURE. IF BREATHING HAS STOPPED, PERFORM ARTIFICIAL RESPIRATION. SUMMON MEDICAL AID IMMEDIATELY.

Exti

nguishing Media: DO NOT USE WATER ON MOLTEN MATERIAL. Fire Fighting Procedures:NONE. Unusual Fire/Explosion Hazard: WHEN HEATED IN AIR TO A TEMPERATURE NEAR ITS MELTING POINT, MAGNESIUM ALLOYS IGNITE AND BURN WITH A WHITE FLAME. Handling and Storage Precautions: READ AND UNDERSTAND THE MANUFACTURER'S INSTRUCTIONS AND THE PRECAUTIONARY LABEL ON THE PRODUCT. Other Precautions: ARC RAYS- FROM ELECTRIC ARC WELDING OPERATIO NS CAN INJURE EYS AND BURN SKIN. ELECTRIC SHOCK- FROM ARC WELDING EQUIPMENT CAN KILL. HEAT RAYS- INFRATED RADIATION FROM FLAME OR HOT METAL CAN INJURE EYE S. Respiratory Protection: USE RESPIRABLE FUME RESPIRATOR OR AIR-SUPPLIED RESPIRATOR WHEN WELDING IN CONFINED SPACE OR WHERE LOCAL EXHAUST OR VENTILATION DOES NOT KEEP EXPOSURE BELOW TLV. Ventilation: USE ENOUGH VENTILATION AND LOCAL EXHAUST AT THE ARC TO **KEEP** THE FUMES AND GASES BELOW TLV'S IN THE WORKER'S AREA. Protective Gloves:WELDERS GLOVES. Eye Protection: PROTECTIVE FACE SHIELD. Other Protective Equipment: ARM PROTECTORS, APRONS, HATS, SHOULDER PROTECTION, AS WELL AS DARK SUBSTANTIAL CLOTHING. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE HCC:N1 Melt/Freeze Pt:M.P/F.P Text:830F,443C Appearance and Odor:SOLID MATERIAL. Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:WELDING FUMES AND GASES CANNOT BE CLASSIFIED SIMPLY. Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information

is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.