View NSN Online: https://aerobasegroup.com/nsn/6810-00-275-8138

FISHER SCIENTIFIC CO CHEMICAL DIV. -- PHOSPHORUS PENTOXIDE CAT NUMBER A245100 -- 6810-00-275-8138

Product ID: PHOSPHORUS PENTOXIDE CAT NUMBER A245100 MSDS Date:09/27/1991 FSC:6810 NIIN:00-275-8138 MSDS Number: BPBLB === Responsible Party === Company Name: FISHER SCIENTIFIC CO CHEMICAL DIV. Address:1 REAGENT LANE **City:FAIR LAWN** State:NJ ZIP:07410 Country:US Info Ph one Num:201-796-7100 Emergency Phone Num:201-796-7100 OR 201-796-7523 CAGE:1B464 === Contractor Identification === Company Name: FISHER SCIENTIFIC CO Address:2000 PARK LN Box:City:PITTSBURGH State:PA ZIP:15275 Country:US Phone:412-490-8586 CAGE:22527 Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV Address:1 REAGENT LANE Box:City:FAIRLAWN State:NJ ZIP:07410-2802 Country:US Phone:201-796-7100

Ingred Name: PHOSPHOR

CAGE:1B464

US PENTOXIDE (SARA III) CAS:1314-56-3 RTECS #:TH3945000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:INH LC50 (RAT) IS 1217 MG/CUM/1 HR

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: MAY CAUSE CAUSE SEVERE

RESPIRATORY TRACT IRRITATION OR PULMONARY EDEMA. MAY CAUSE SEVERE IRRITATION OR BUR

NS OF SKIN AND EYES ON CONTACT. MAY CAUSE LOSS OF SIGHT ON CONTACT. MAY CAUSE SEVERE GI TRACT IRRITATION; BURNS TO MOUTH, THROAT AND ESOPHAGUS. CHRONIC: EROSION OF TEETH, CONJUNCTIVITIS, MOUTH ULCERS.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INHALATION: COUGHING, WHEEZING, SHORTNESS OF BREATH, DIZZINESS, HEADACHE, NAUSEA, WEAKNESS. EYES: PAIN, BURNING SENS

ATION, REDNESS, TEARING, BLURRED VISION. SKIN: BURNS, REDNESS, PAIN. BROWN OR YELLOW STAIN SKIN. INGESTED: SEVERE STOMACH APIN, SORE THROAT, SEVERE THROAT PAIN, NAUSEA, VOMITING, DIARRHEA. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED. GET IMMEDIATE MEDICAL HELP. EYES: FLUSH WITH LOTS OF WATER FOR

15 MINUTES, HOLDING EYELIDS OPEN. GET IMMEDIATE MEDICAL HELP. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP AND WATER. IF BURNED, GET IMMEDIATE MEDICAL HELP. INGESTED: IF CONSCIOUS, GIVE LOTS OF WATER OR MILK. GET IMMEDIATE MEDICAL HELP.

Flash Point:NONE Extinguishing Media:DRY CHEMICAL OR CARBON DIOXIDE Fire Fighting Procedures:WEAR SCBA AND PROTECTIVE CLOTHING. DO NOT GET WATER INSIDE CONTAINER. D

O NOT GET SOLID STREAM OF WATER ON MATERIAL. MOVE CONTAINER AWAY FROM AREA IF NOT AT RISK Unusual Fire/Explosion Hazard: DO NOT USE WATER ON THIS MATERIAL; IT REACTS VIOLENTLY, GIVING OFF HEAT. KEEP UPWIND AT ALL TIMES. CORROSIVE AND TOXIC FUMES PRODUCED. Spill Release Procedures: KEEP COMBUSTIBLES AND INCOMPATIBLES AWAY. ISOLATE AND DENY ENTRY. DO NOT USE WATER ON THIS MATERIAL. STOP LEAK IF CAN BE DONE AT N O RISK. CONTAIN SPILL. CLEAN UP ONLY UNDER SUPERVISION OF AN EXPERT. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: KEEP IN A TIGHTLY CLOSED CONTAINER. STORE IN A COOL, DRY, VENTILATED AREA. STORE UNDER INERT ATMOSPHERE. STORE AWAY FROM INCOMPATIBLES. Other Precautions:NONE SPECIFIED BY MANUFACTURER. Respirato ry Protection: USE NIOSH/MSHA APPROVED RESPIRATOR IF ENGINEERING CONTROLS FAIL OR IN AN EMERGENCY. IF RESPIRATORY PROTECTION IS USED; A PROGRAM IN ACCORDANCE WITH 29 CFR 1910.134 MUST BE IMPLEMENTED. Ventilation: PROCESS ENCLOSURE RECOMMENDED TO MEET PUBLISHED EXPOSURE LIMITS. Protective Gloves: PVC OR NEOPRENE Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment: IMPERVIOUS CLOTHING TO PREVENT ANY CONTACT WITH THIS MATERIAL. EYE WASH STATION & SAFETY SHOWER. Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health HCC:C1 Boiling Pt:B.P. Text:572F,300C Melt/Freeze Pt:M.P/F.P Text:1076F,580C Vapor Pres:1 MM HG Spec Gravity:2.39 Solubility in Water: APPRECIABLE Appearance and Odor:WHITE, SOFT, FLUFFY, VERY DELIQUESCENT, MONOCLINIC/HEXAGONAL CRYSTALS OR POWDER

====

Stability Indicator/Materials to Avoid:YES

WATER, AMMONIA, STRONG OXIDIZING AGENTS, ORGANICS PLUS WATER, SODIUM AND SODIUM COMPOUNDS, FORMIC ACID.

Stability Condition to Avoid:CONTACT WITH INCOMPATIBLES. GIVES OFF ACID FUMES ON CONTACT WITH WATER.

Hazardous Decomposition Products:TOXIC AND CORROSIVE PHOSPHORIC ACID MAY BE PRODUCED.

Waste Disposal Meth ods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. REPORTABLE QUANTITY= 1 POUND.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advic e to verify and assume responsibility for the suitability of this information to their

particular situation.