View NSN Online: https://aerobasegroup.com/nsn/4610-01-266-7531

Product ID:FLOOLEAN IPA 411-PART A MSDS Date:11/01/1986 FSC:4610 NIIN:01-266-7531 Kit Part:Y MSDS Number: BPBQJ === Responsible Party === Company Name: PFIZER INC, MINERALS & PIGMENT DIVISION Address:235 EAST 42ND ST **City:NEW YORK** State:NY ZIP:10017 Country:US Info Phone Num:71 4-864-2310 Emergency Phone Num:212-573-2816 CAGE:86491 === Contractor Identification === **Company Name: ALL-SAFE INC** Address:4767 LANGTON RD Box:116 City:HIILIARD State:OH ZIP:43026 Country:US Phone:614-876-4041 CAGE:2X264 Company Name: PFIZER INC, MINERALS & PIGMENT DIVISION Address:235 EAST 42ND ST Box:City:NEW YORK State:NY ZIP:10017 Country:US Phone:212-573-2816 CAGE:86491

Ingred Name:NON HAZARDOUS INGREDIENTS Fraction by Wt

: 100% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE- EYES:MODERATE IRRITATION. SKIN:MILD IRRITATION. INHALATION:DUST MAY CAUSE RESPIRATORY TRACT IRRITATION. INGESTION:NOT KNOWN. CHRONIC- NONE KNOWN. Effects of Overexposure:MODERATE IRRITATION OF EYES. MILD IRRITATION OF SKIN. DUST MAY CAUSE RESPIRATORY TRACT IRRITATION.

Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYE/SKIN:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL:FLUSH OUT MOUTH WITH WATER. SEE K MEDICAL ATTENTION.

Extinguishing Media:WATER

SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL

FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS IF NEEDED.

Unusual Fire/Explosion Hazard:NO FIRE OR EXPLOSION HAZARDS EXIST.

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENTS. VACUUM/SWEEP OR SHOVEL SPILLAGE INTO SALVAGE CONTAINERS. AVOID CREATING DUST. WASH SP ILL SITE.

Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions:STORAGE- STORE IN CLOSED CONTAINER. USE WITH ADEQUATE DUST CONTROL.

Other Precautions:DO NOT RAISE DUST. AVOID CONTACT WITH EYES AND SKIN. AVOID BREATHING DUST. WASH THOROUGHLY AFTER HANDLING MATERIAL.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection: NONE NORMALLY REQUIRED. IF WORKPLACE EXPOSURE

LIMIT IS EXCEEDED, A NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR OR DUST RESPIRATOR IS ADVISED. Ventilation:ROOM VENTILATION Protective Gloves: RUBBER Eye Protection: DUST-RESISTANT SAFETY GOGGLES Other Protective Equipment: EYE WASH STATION, EMERGENCY SHOWER, APPROPRIATE LABORATORY COAT TO COVER EXPOSED SKIN Work Hygienic Practices: DO NOT PERMIT EATING, DRINKING OR SMOKING NEAR THIS MATERIAL. Supplemental Safety and Health THIS PRODUCT IS A KIT CONSISTING OF THREE PARTS, PART A, HAS P IN A: PART B HAS PIN B, PART C HAS PIN C, SAME NSN. HCC:N1 Solubility in Water:COMPLETE Appearance and Odor: WHITE POWDER- ODORLESS. PH OF A 2.4% SOLUTION IS 10.5 - 11.5. Stability Indicator/Materials to Avoid:YES ALUMINUM Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE KNOWN. ============= Disposal Considerations ==

Waste Disposal Methods:MATERIAL MAY BE DILUTED WITH WATER AND FLUSHED TO AN APPROVED DRAIN. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its

use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.