

BOUGHT ACCORDING TO SPECIFICAT -- BRAZING ALLOY, SILVER

MSDS Safety Information

FSC: 3439  
NIIN: 00-262-4202  
MSDS Date: 10/19/1992  
MSDS Num: BPBVD  
Product ID: BRAZING ALLOY, SILVER  
MFN: 01  
Responsible Party  
Cage: 81349  
Name: BOUGHT ACCORDING TO SPECIFICATION  
Address: DEFENSE GENERAL SUPPLY CENTER  
C  
ity: RICHMOND VA 23297-5680  
Info Phone Number: 804-279-4371  
Emergency Phone Number: 804-279-3131  
Preparer's Name: DGSC-SSH  
Review Ind: Y  
Published: Y

Preparer Co. when other than Responsible Party Co.

Cage: 81349  
Name: MILITARY SPECIFICATIONS PROMULGATED BY MILITARY  
Address: DEPTS/AGENCIES UNDER AUTH OF DEF STD  
Box: MANUAL  
City: 4120 3-M NK 00000

Contractor Summary

Cage: 81349  
Name: MILITARY SPECIFICATIONS PROMULGATED BY MILITARY  
Address: DEPTS/AGENCIES UNDER AUTH OF DEF STD  
Box: MANUAL  
City: 4120 3-M NK 00000  
Phone: 804-279-4371 DSN 695-4371

Item Description Information

Item Manager: S9G  
Item Name: BRAZING ALLOY,SILVER  
Specification Number: QQ-B-654  
Un

it of Issue: LB  
UI Container Qty: 0

=====  
Ingredients  
=====

Cas: 7440-22-4  
RTECS #: VW3500000  
Name: SILVER (SARA III)  
% Wt: 14.5-15  
Other REC Limits: NONE SPECIFIED  
OSHA PEL: 0.01 MG/M3  
ACGIH TLV: 0.1 MG/M3; 9192  
EPA Rpt Qty: 1 LB  
DOT Rpt Qty: 1 LB

-----  
Cas: 7440-50-8  
RTECS #: GL5325000  
Name: COPPER (SARA III)  
% Wt: BALANCE  
Other REC Limits: NONE SPECIFIED  
OSHA PEL: 0.1M  
G/M3 FUME/1 DUST  
ACGIH TLV: 0.2MG/M3 FUME; 9192  
EPA Rpt Qty: 5000 LBS  
DOT Rpt Qty: 5000 LBS

-----  
Cas: 7723-14-0  
RTECS #: TH3500000  
Name: PHOSPHOROUS (YELLOW) (SARA III)  
% Wt: 4.8-5.2  
Other REC Limits: NONE SPECIFIED  
OSHA PEL: 0.1 MG/M3  
ACGIH TLV: 0.1 MG/M3; 9192  
EPA Rpt Qty: 1 LB  
DOT Rpt Qty: 1 LB

-----  
Name: OTHER ELEMENTS (TYPE NOT SPECIFIED)  
% Wt: 0.15  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

===

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: NOT ESTABLISHED.

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: MAY CAUSE METAL FUME FEVER. INFRARED RADIATION (HEAT RAYS) FROM FLAME OR HOT METAL DURING WELDING CAN INJURE EYES.

Explanation Of Carcinogenicity: PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED

AS CARCINOGENIC BY NTP, IARC OR OSHA.

Signs And Symptoms Of Overexposure: COPPER FUME MAY CAUSE METAL FUME FEVER. SHORT TERM SYMP-METAL TASTE IN MOUTH, DRY/IRRITATED THROAT WITH COUGH, SHORTNESS OF BREATH, NAUSES, FEVER, ACHES, CHILLS, PULMONARY IRRITATION/PNEUMOCONIOSIS POSSIBLE WITH LONG TERM EXPOSURE TO WELDING FUMES, GASES, DUST.

Medical Cond Aggravated By Exposure: WELDING FUMES MAY AGGRAVATE EXISTING LUNG ILLNESSES.

First Aid: REMOVE FROM DUST OR FUME EXPOSURE. IF BREATHING HAS STOPPED, PERFORM ARTIFICIAL RESPIRATION. SUMMON MEDICAL AID IMMEDIATELY.

=====  
Handling and Disposal  
=====

Neutralizing Agent: NONE KNOWN.

Waste Disposal Methods: WASTE DISPOSAL MUST BE IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: READ & UNDERSTAND MFR'S INSTRUCTNS & PRECAUTIONARY LABEL ON PRODUCT. SEE AMERICAN NATIONAL STD Z49.1, SFTY IN

WELDING & CUTTING, & OSHA PUB 2206 (29CFR1910)

Other Precautions: REEVALUATE HAZARDS BASED ON TYPE OF WELDING FLUX USED.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Text: NONFLAMMABLE

Lower Limits: NOT KNOWN

Upper Limits: NOT KNOWN

Extinguishing Media: NONFLAMMABLE. USE MEDIA SUITABLE FOR SURROUNDING FIRE.

Fire Fighting Procedures: NONFLAMMABLE. USE PROCEDURES SUITABLE FOR

SURROUNDING

FIRE.

Unusual Fire/Explosion Hazard: (NONFLAMMABLE) OPEN FLAME & SPARKS CAN IGNITE COMBUSTIBLES,SEE ANSI/ASC Z49.1-1983 SECTION 6.

Control Measures

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRABLE FUME RESPIRATOR/AIR SUPPLIED RESPIRATOR

Ventilation: ENOUGH VENT,LOCAL EXHAUST AT FLAME TO KEEP FUMES&GASES < TLV'S

Protective Gloves: WELDER'S GLOVES

Eye Protection:

FILTER LENS-PROPER SHADE#

Other Protective Equipment: ARM PROTECTORS,APRONS,HATS,SHOULDER PROTECTORS,DARK STURDY CLOTHES

Work Hygienic Practices: WASH HANDS WITH SOAP AND WATER BEFORE EATING, DRINKING OR SMOKING.

Supplemental Safety and Health: AVOID CREATION, INHALATION OF DUST, FUMES, GASES. KEEP HEAD OUT OF THE FUMES.

Physical/Chemical Properties

HCC: N1

B.P. Text: NOT KNOWN

OWN

M.P/F.P Text: NOT KNOWN

Decomp Text: UNKNOWN

Vapor Pressure: NIL

Vapor Density: NIL

Spec Gravity: NOT KNOWN

Evaporation Rate & Reference: NIL

Solubility in Water: NIL

Appearance and Odor: SOLID WIRE/ROD. ROD POSSIBLY COATED WITH CHEMICAL FLUX.

Percent Volatiles by Volume: NIL

Corrosion Rate: UNKNOWN

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: NONE KNOWN.

Materials To Avoid: NONE KNOWN.

Hazardous Decomposition Products: SILVER (METAL & SOLUBLE COMPOUNDS), COPPER (FUME)

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE. WILL NOT OCCUR.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
HAZCOM Label  
=====

=====  
Product ID: BRAZING ALLOY, SILVER

Cage: 81349

Company Name: MILITARY SPECIFICATIONS PROMULGATED BY MILITARY

Street: DEPTS/AGENCIES UNDER AUTH OF DEF STD

PO Box: MANUAL

City: 4120 3-M NK

Zipcode: 00000

Health Emergency Phone: 804-279-3131

Label Required IND: Y

Date Of Label Review: 10/19/1992

Status Code: C

MFG Label NO: NONE

Label Date: 10/19/1992

Origination Code: G

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: WARNING

Respiratory Pr

Protection IND: YES

Health Hazard: Moderate

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: READ & UNDERSTAND MFR'S INSTRUCTNS & PRECAUTIONARY LABEL ON PRODUCT.SEE AMERICAN NATIONAL STD Z49.1,SFTY IN WELDING&CUTTING,&OSHA PUB 2206 (29CFR1910) FIRST AID: REMOVE FROM DUST OR FUME EXPOSURE. IF BREATHING HAS STOPPED,PERFORM ARTIFICIAL RESPIRATION. SUMMON MEDICAL AID IMMEDIATELY.

=====

Di

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.