

STEVEN INDUSTRIES -- POLYBUTENE SEALER -- 8030-00-275-8111

===== Product Identification =====

Product ID:POLYBUTENE SEALER

MSDS Date:10/23/1992

FSC:8030

NIIN:00-275-8111

MSDS Number: BPBVL

=== Responsible Party ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Info Phone Num:201-437-6501

Emergency Phone Num:201-437-6501

Preparer's Name:DG

SC-SSH

CAGE:33150

=== Contractor Identification ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

===== Composition/Information on Ingredients =====

Ingred Name:PIGMENT

Fraction by Wt: 80%

Ingred Name:VEHICLE (HYDROCARBON)

Fraction by Wt: 19%

Ingred Name:SOLVENTS (TYPE NOT SPECIFIED)

Fraction by Wt: 1%

===== Hazards Identification =====

Routes of Entr

y: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE, SKIN & RESPIRATORY TRACT
IRRITATION.
Effects of Overexposure:EYE, SKIN & RESPIRATORY TRACT IRRITATION.
Medical Cond Aggravated by Exposure:NONE

=====
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH WITH RUNNING WATER FOR AT LEAST 15
MINUTES WHILE LIFTING EYELIDS OPEN. IF IRRITATION DEVELOPS OR
PERSISTS,
GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND PLENTY OF
WATER. IF IRRITATION DEVELOPS OR PERSISTS, GET MEDICAL ATTENTION.
VAPOR INHALATION UNLIKELY: REMOVE TO FRESH AIR. GET MEDICAL
ATTENTION IF REQUIRED. INGESTION: DO NOT INDUCE VOMITING. GET
MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE
Fire Fighting Procedures:DO NOT ENTER CONFIN
ED FIRE SPACE W/O
PROTECTIVE EQUIPMENT, INCLUDING SCBA TO PROTECT AGAINST HAZARDOUS
FUMES & OXYGEN DEFICIENCIES. COOL CONTAINERS WITH WATER.
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:SCOOP/SCRAPE UP OR WIPE UP SPILLED MATERIAL
AND PLACE INTO DISPOSAL CONTAINERS.
Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN C
OOL, DRY, VENTILATED AREA.
PROTECT FROM PHYSICAL DAMAGE. KEEP CONTAINERS TIGHTLY CLOSED WHEN
NOT IN USE. DO NOT FREEZE.
Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.
Ventilation:USE ADEQUATE MECHANICAL VENTILATION.
Protective Gloves:NONE NORMALLY REQUIRED.
Eye Protection:SAFETY GLASSES RECOMMENDED.
Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR
PROLONGED CONTACT.

Work H

Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:N1

Decomp Temp:Decomp Text:>160F,>71C

Spec Gravity:1.92

Solubility in Water:NEGLIGIBLE

Appearance and Odor:NATURAL COLORED SEMISOLID VISCOUS SEALER

===== Stability and Reactivity Data =====

Stability Indicator/Materials

to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH TEMPERATURES

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.