

SK WELLMAN CORPORATION -- CLUTCH PLATE -- 2520-00-936-7707

=====  
Product Identification  
=====

Product ID:CLUTCH PLATE

MSDS Date:01/30/1991

FSC:2520

NIIN:00-936-7707

MSDS Number: BPBZV

=== Responsible Party ===

Company Name:SK WELLMAN CORPORATION

Address:6180 COCHRAN ROAD

City:SOLOON

State:OH

ZIP:44139

Country:US

Info Phone Num:216-498-2275

Emergency Phone Num:216-498-2275

CAGE:MO314

=== Contractor

Identification ===

Company Name:SK WELLMAN CORPORATION

Address:6180 COCHRAN ROAD

Box:City:SOLOON

State:OH

ZIP:44139

Country:US

Phone:216-498-2275

CAGE:MO314

Company Name:WELLMAN S K CORP THE; SUB OF MLX CORP

Address:6190 COCHRAN RD

Box:City:SOLOON - FORMERLY BEDFORD

State:OH

ZIP:44139-2952

Country:US

Phone:216-498-2275

CAGE:79370

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LEAD.ACGIH TLV IS FOR INORGANIC DUST AND FUMES. (SARA III)

CAS:7439-92-1

RTECS #:OF752

5000  
Other REC Limits:NOT KNOWN  
OSHA PEL:0.05 MG(PB)/M3  
ACGIH TLV:0.15 MG(PB)/M3  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:COPPER.OSHA PEL AND ACGIH TLV ARE 1 MG(CU)/M3 FOR DUST AND  
MIST. (SARA III)

CAS:7440-50-8  
RTECS #:GL5325000  
Other REC Limits:NOT KNOWN  
OSHA PEL:0.1 MG(CU)/M3 FUME  
ACGIH TLV:0.2 MG(CU)/M3 FUME  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:TIN  
CAS:7440-31-5  
RTECS #:XP7320000  
Other REC Limits:NOT KNOWN  
OSHA PEL:2 MG(SN)/M3  
ACGIH TLV:2 MG(SN)/M3

Ingred Name:GR  
APHITE, NATURAL  
CAS:7782-42-5  
RTECS #:MD9659600  
Other REC Limits:NOT KNOWN  
OSHA PEL:15 MPPCF RDUST  
ACGIH TLV:2 MG/M3 RDUST; 9293

Ingred Name:ZINC.ACGIH 10 MG/M3 TOTAL DUST W/O ASBESTOS,1550F,843C  
Decomp Temp:Decomp Text:NOT KNOWN  
Spec Gravity:5.0 (WATER=1)  
Evaporation Rate & Reference:NOT KNOWN  
Solubility in Water:INSOLUBLE  
Appearance and Odor:COPPER COLOR WITH NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NITRIC AC

ID

Stability Condition to Avoid:NOT KNOWN

Hazardous Decomposition Products:NITROGEN OXIDE IF REACTED WITH NITRIC ACID.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL,STATE,AND LOCAL REGULATIONS.COORDINATE WITH SUPPORTING INSTALLATION AND/OR MACOM ENVIRONMENTAL OFFICE PRIOR TO DISPOSAL .METAL SCRAP.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.