View NSN Online: https://aerobasegroup.com/nsn/5330-00-901-5526

Product ID:KLINGER 52 MSDS Date:01/01/1987 FSC:5330 NIIN:00-901-5526 **MSDS Number: BPFFW** === Responsible Party === Company Name: KLINGER RICHARD INC Address:2350 CAMPBELL RD City:SIDNEY State:OH ZIP:45365-9501 Country:US Info Phone Num:513-498-1181 Emergency Phone Num:513-498-1181 CAGE:9U500 === Contractor Iden tification === Company Name: KLINGER RICHARD INC Address:2350 CAMPBELL RD Box:City:SIDNEY State:OH ZIP:45365-9501 Country:US Phone:937-498-1181 CAGE:9U500 Company Name: R AND R MILITARY PRODUCTS CO Address:KATY RD RFD RT 1 BLDG 2 Box:503 City:KELLER State:TX ZIP:76248-0503 Country:US Phone:817-431-2558 CAGE:6N151

Ingred Name:CHLOROPRENE RUBBER Fraction by Wt: 5-15% Other REC Limits:NONE SPECIFIED

Ingred Name: ASBESTOS, CHRYSOTI

LE CAS:12001-29-5 RTECS #:CI6478500 Fraction by Wt: 60-80% Other REC Limits:NONE SPECIFIED OSHA PEL:0.2 FIBERS/CC ACGIH TLV:2 FIBERS/CC; A1;9192

Ingred Name:INERT INORGANIC FILLERS Fraction by Wt: 5-15% Other REC Limits:NONE SPECIFIED

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:ACUTE:MAY CAUSE IRRITATION OF RESPIRATORY TRACT.LUNG DISEASE IN THE LONGER RUN.(ASBESTOSIS)

Explan

ation of Carcinogenicity:DATA PER MGF MSDS.

Effects of Overexposure:SEE HEALTH HAZARDS DATA.

Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.

First Aid:EYES AND SKIN:FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY. INHALATION:REMOVE TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION IMMEDIATELY.

=================== Fire Fight

ing Measures ========================

Flash Point:NONE

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE NOTED;COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

=================== Accidental Release Measures =

\_\_\_\_\_

Spill Release Procedures: USE PROPER PERSONAL PROTECTION; SWEEP WET OR VACUUM AND COLLECT FOR PROPER DISPOSAL IN AN APPROVED CONTAINER. Handling and Storage Precautions: WORK IN WELL VENTILATED AREA. AVOID INHALATION OF FIBERS.DO NOT DRILL ,SAND ,GRIND AND SWEEP WET OR VACUUM. Other Precautions: WASH THOROUGHLY AFTER EACH USE. Respi ratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST/MIST IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA. Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves: IMPERVIOUS Eye Protection: SAFETY GLASSES/GOGGLES Other Protective Equipment: PROTECTIVE CLOTHINGS. EYE-WASH FACILITIES, SAFETY SHOWER. Work Hygienic Practices: AVOID CONTACT WITH EYES AND SKIN; DO NOT BREATHE VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE; DO NOT EAT, DRINK, SMOKE. Supplemental Safety and Healt h DO NOT BREATHE FIBERS. HCC:T6 Spec Gravity:1.8-2.0 Solubility in Water: INSOLUBLE Appearance and Odor:SOLID BLACK SHEET Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Hazardous Decomposition Products:NOT SPECIFIED Waste Disposal Methods: CONSULT LOCAL AUTHORITIES; DISPO

## SAL MUST BE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibil ity for the suitability of this information to their

particular situation.