

CHEMTRONICS INC -- CX & G AGENT SIMULANT VIAL -- 6910-01-043-2090

=====
Product Identification
=====

Product ID: CX & G AGENT SIMULANT VIAL

MSDS Date: 04/01/1986

FSC: 6910

NIIN: 01-043-2090

Kit Part: Y

MSDS Number: BPFHP

=== Responsible Party ===

Company Name: CHEMTRONICS INC

Address: 180 OLD BEE TREE RD

City: SWANNANOA

State: NC

ZIP: 28778-3409

Country: US

Info Phone Num: 704-298-7941

Emergency Phone Num: 70

4-298-7941

CAGE: 60737

=== Contractor Identification ===

Company Name: CHEMTRONICS INC

Address: 180 OLD BEE TREE RD

Box: City: SWANNANOA

State: NC

ZIP: 28778-3409

Country: US

Phone: NOT LISTED IN PHONE DIRECTORY

CAGE: 60737

=====
Composition/Information on Ingredients
=====

Ingred Name: BENZENESULFONYL CHLORIDE (SARA III)

CAS: 98-09-9

RTECS #: DB8750000

Other REC Limits: NOT KNOWN

OSHA PEL: NOT KNOWN

ACGIH TLV: NOT KNOWN

EPA Rpt Qty: 100 LBS

DOT Rpt Qty: 100 LBS

Ingred Name: BENZOYL CHLORIDE

(SARA III)
CAS:98-88-4
RTECS #:DM6600000
Other REC Limits:NOT KNOWN
OSHA PEL:NOT KNOWN
ACGIH TLV:NOT KNOWN
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

LD50 LC50 Mixture:LD50 RAT ORAL 1140 MG/KG.LC50 32 PPM.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION OF VAPORS IS HARMFUL.
Explanation of Carcinogenicity:NONE
Effects of O
verexposure:EYES:HIGHLY IRRITATING. SKIN:CORROSIVE.
Medical Cond Aggravated by Exposure:NOT KNOWN

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15
MINUTES. SKIN:FLUSH WITH WATER FOR 15 MINUTES. INGESTION:DO NOT
INDUCE VOMITING. INHALATION:MOVE TO FRESH AIR. ADMINISTER
ARTIFICIAL RESPIRATION OR OXYGEN AS NEEDED.

=====
Fire Fighting Measures
=====

Flash Point:>160
F,>71C
Lower Limits:NOT KNOWN
Upper Limits:NOT KNOWN
Extinguishing Media:USE CARBON DIOXIDE OR DRY CHEMICAL.DO NOT USE
WATER.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS (SCBA)
AND PROTECTIVE CLOTHING AND GLOVES TO PREVENT EYE AND SKIN CONTACT.
Unusual Fire/Explosion Hazard:EMITS TOXIC FUMES OF HYDROGEN CHLORIDE
AND PHOSGENE.

=====
Accidental Release Measures
=====

Spill Release Procedures:PROVIDE ADEQUATE VENTILATION.CLEAN-UP
PE

PERSONNEL NEED PROTECTIVE EQUIPMENT.ABSORB WITH VERMICULITE OR
NEUTRALIZE WITH SODA ASH OR LIME.VENT DISPOSAL CONTAINER.
Neutralizing Agent:SODA ASH OR LIME.

===== Handling and Storage =====

Handling and Storage Precautions:90-DAY SHELF LIFE IN ORIGINAL
CONTAINER.AFTERWARD TRANSFER TO GLASS.PROTECT CONTAINERS FROM
PHYSICAL DAMAGE.

Other Precautions:CONTACT WITH WATER PRODUCES EXOTHERMIC REACTION
PRODUCING HYDROGEN CHLORIDE GAS.AVOID SKIN AND EYE
CONTACT.DO NOT
INHALE VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR OSHA/MSHA ORGANIC RESPIRATOR OR SCBA.
Ventilation:CONTACT LOCAL SAFETY/INDUSTRIAL HYGIENE OFFICE TO DETERMINE
IF LOCAL EXHAUST VENTILATION IS NEEDED .
Protective Gloves:WEAR CHEMICAL-RESISTANT RUBBER GLOVES.
Eye Protection:WEAR SPLASH-PROOF GOGGLES.
Other Protective Equipment:NOT KNOWN
Work Hygienic Practices:NOT KNOWN
Supplemental Safety and Health
NONE KNOWN

===== Physical/Chemical Properties =====

HCC:F6
Boiling Pt:B.P. Text:>392F,>200C
Melt/Freeze Pt:M.P/F.P Text:NOT KNOWN
Decomp Temp:Decomp Text:NOT KNOWN
Vapor Pres:NOT KNOWN
Vapor Density:>1 (AIR=1)
Spec Gravity:1.23 (WATER=1)
Evaporation Rate & Reference:NOT KNOWN
Solubility in Water:DECOMPOSES
Appearance and Odor:COLORLESS,FUMING LIQUID.
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Ma

materials to Avoid: YES

WATER, ALCOHOLS, OXIDIZERS, STRONG BASES.

Stability Condition to Avoid: MOISTURE

Hazardous Decomposition Products: HYDROGEN CHLORIDE AND PHOSGENE.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods: DISP MUST BE IAW FED, STATE, & LOC REGS. COORDINATE W/ SUPPORTING INSTALLATION/MACOM ENVIRON OFFICE PRIOR TO DISP. DO NOT DISCHARGE TO SEWER. BURY IN APPROVED LANDFILL OR INCINERATE IN

EQUIPMENT WITH AFTER BURNER AND SCRUBBER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.