View NSN Online: https://aerobasegroup.com/nsn/6850-01-312-2977

Product ID:6040, ECP-PROCESS BLACK TYPE H TYPE V80 TON MSDS Date:03/14/1990 FSC:6850 NIIN:01-312-2977 **MSDS Number: BPFMH** === Responsible Party === Company Name: VERSATEC A XEROX CO Address:2710 WALSH AVE **City:SANTA CLARA** State:CA ZIP:95051-0905 Country:US Info Phone Num:800-828 -6571; 408-988-2800 Emergency Phone Num:716-422-2177 CAGE:IO271 === Contractor Identification === Company Name: VERSATEC A XEROX CO Address:2710 WALSH AVE Box:City:SANTA CLARA State:CA ZIP:95051-0905 Country:US Phone:800-828-6571; 408-988-2800 CAGE:IO271 Company Name: VERSATEC INC (REPLACED BY XES INC, VERSATEC PROD.) Address:2710 WALSH AVE. Box:City:SANTA CLARA State:CA ZIP:95051-0905 Country:US Phone:716-422-2177 (XEROX CORP, NY) CAGE:50804

======= Composition/Information on Ingredients

Ingred Name:HYDROTREATED HEAVY NAPHTHA; (ISOPARAFFINIC HYDROCARBON SOLVENT) CAS:64742-48-9 Fraction by Wt: 80-90%

Ingred Name: POLYMER, UNSPECIFIED; (TRADE SECRET)

Ingred Name: PIGMENT (TRADE SECRET)

LD50 LC50 Mixture:LD50:(ORAL, RAT)>10 G/KG. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INGESTION POSES MAXIMUM RISK OF SEVERE RESPIRATORY DISTRESS BY ASPIRATION, AS WELL AS CNS DEPRESSION. INTENTIONAL INHALATION MAY RESULT IN ABNORMAL HEART RHYTHMS, RESPIRATORY ARREST, CNS TOXICITY. SKI N:MAY CAUSE IRRITATION & DERMATITIS W/PROLONGED OR REPEATED CONTACT. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE WHEN USED AS DESCRIBED BY PRODUCT LITERATURE.

First Aid:EYES:FLUSH THORO W/WATER FOR AT LST 15 MINUTES. SKIN:REMOVE CONTAM CLTHG. WASH THORO W/SOAP & WATER. INHAL:REMOVE FROM EXPOSURE. OBSERVE FOR ANY DIFFICULTY IN BREATHING. INGEST:DILUTE STOMACH CONTENT W/SEVERAL GLASSES OF WATER. DO NOT INDUCE VOMITING. ADDNL INFO:CALL MD.

Flash Point Method:TCC Flash Point:>102F,>39C Lower Limits:0.8% Upper Limits:7% Extinguishing Media:FOAM, DRY CHEMICAL , CO*2, WATER FOG. Fire Fighting Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP . COOL EXPOSED CNTNRS W/WATER SPRAY. AVOID BRTHG VAP/FUMES. Unusual Fire/Explosion Hazard:DO NOT MIX OR STORE W/STRONG OXIDANTS LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN.

Spill Release Procedures:REMOVE IGNITION SOURCES. RECOVER FREE LIQUID USING AN ABSORBENT MATERIAL (VERMICULITE, FIRE RETARDANT, SAWDUST, ETC).

Neutrali

zing Agent:NONE SPECIFIED BY MANUFACTURER.

 Handling and Storage Precautions: KEEP CONTAINER CLOSED. AVOID HANDLING NEAR HEAT, STRONG LIGHT, SPARKS, OPEN FLAMES, STRONG OXIDANTS.
 Other Precautions: AVOID BREATHING VAPORS. AVOID PROLONGED OR REPEATED SKIN CONTACT.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE, WHEN USED AS INTENDED W/VERSATEC (XEROX) PRODUCTS. USE NIO SH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . Ventilation:NONE SPECIFIED BY MANUFACTURER. Protective Gloves:NEOPRENE OR NITRILE GLOVES. Eye Protection:CHEMICAL WORKERS GOGGLES . Other Protective Equipment:NONE, WHEN USED AS INTENDED W/VERSATEC (XEROX) PRODUCTS. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health MFR'S TRADE NAME/PART NO:CONCENTRATE.

HCC:F4 Boiling Pt:B.P. Text:>320F,>160C Vapor Pres:1 @ 20C Vapor Density:5 Spec Gravity:0.77 (H*2O=1) Evaporation Rate & amp; Reference:0.3 (N-BUTYL ACETATE=1) Solubility in Water:IMMISCIBLE Appearance and Odor:BLACK LIQUID; SLIGHT ODOR. Percent Volatiles by Volume:80-100

Stability Indicator/Materials to Avoid:YES
STRONG OXIDANTS SUCH AS LIQ CHLORINE, CONCENTRATE O*2, SODIUM OR CALCIUM HYPOCHLORITE.
Stability Condition to Avoid:NONE SPEC
IFIED BY MANUFACTURER.
Hazardous Decomposition Products:FUMES, SMOKE & CO IN CASE OF INCOMPLETE COMBUSTION.

Waste Disposal Methods:WASTE TONER MAY BE CLASSIFIED AS AN IGNITABLE HAZ WASTE UNDER FED, &/OR STATE REGS & SHOULD BE DISPOSED AT AN APPROVED DISPOSAL SITE OR FACILITY I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is fo

rmulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.