

MITA INDUSTRIAL CO.LTD;MITA COPYSTAR AMERICA INC -- BLACK DEVELOPER FOR  
DC-121,122,131,132,133R -- 6750-01-198-3046

===== Product Identification =====

Product ID:BLACK DEVELOPER FOR DC-121,122,131,132,133R

MSDS Date:09/01/1992

FSC:6750

NIIN:01-198-3046

Kit Part:Y

MSDS Number: BPGHG

=== Responsible Party ===

Company Name:MITA INDUSTRIAL CO.LTD;MITA COPYSTAR AMERICA INC

Address:225 SAND ROAD

Box:40

008

City:FAIRFIELD

State:NJ

ZIP:07004-0008

Country:US

Info Phone Num:201-808-8444

Emergency Phone Num:201-808-8444

CAGE:65678

=== Contractor Identification ===

Company Name:MITA INDUSTRIAL CO.LTD;MITA COPYSTAR AMERICA,INC.

Address:777 TERRACE AVENUE

Box:813

City:HASBROUCK HEIGHTS

State:NJ

ZIP:07604-3110

Country:US

Phone:201-288-6900

CAGE:65678

===== Composition/Information on Ingredients =====

Ingred Name:BLACK TONER FOR DC-121

Fraction by Wt: 10%

Other REC Limits:NONE SPECIF

IED

Ingred Name:IRON  
CAS:7439-89-6  
RTECS #:NO4565500  
Fraction by Wt: 90%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:10 MG FE/M3,D-FE2O3  
ACGIH TLV:5 MG FE/M3, F-FE2O3

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE IN NORMAL HANDLING AND USE.  
Effects of Overexposure:MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR  
AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY NON-TOXIC DUST.  
Medical Cond Aggravated by Exposure:NONE

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION  
PERSISTS GET MEDICAL ATTENTION. SKIN: WASH AREA WITH SOAP AND  
WATER. INHALATION: MOVE TO FRESH AIR. INGESTION: DILUTE STOMACH  
CONTENTS WITH SEVERAL GLASSES OF WATER. GET MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:USE CARBON DIOXIDE EXTINGUISHER, WATER, FOAM, DRY  
CHEMICAL.  
Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER.  
Unusual Fire/Explosion Hazard:NONE UNDER NORMAL STORAGE AND USE  
CONDITIONS.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:CLEAN UP WITH A VACUUM CLEANER. AVOID CREATING  
DUST.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
Handling and Storage  
=====

Handling and

Storage Precautions:KEEP CAP TIGHTLY CLOSED. STORE IN A COOL, DRY, AND DARK PLACE.

Other Precautions:AVOID COMBUSTION.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER NORMAL USE.

Ventilation:NONE REQUIRED UNDER NORMAL USE.

Protective Gloves:NONE REQUIRED UNDER NORMAL USE.

Eye Protection:NONE REQUIRED UNDER NORMAL USE.

Other Protective Equipment:NONE

Work Hygienic Practices:AVOID INHALATION, INGESTION, SKIN, OR EYE CONTACT.

Supplemental Safety and Health

KEY 1: N1, THIS ENTRY DESCRIBES PART A OF A 2 PART KIT. SEE P/N IND B FOR PART B DATA.

=====  
===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:4.95

Solubility in Water:INSOLUBLE

Appearance and Odor:FINE BLACK POWDER. PRACTICALLY ODORLESS.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE

Hazardous Decomposi

tion Products:NONE IN NORMAL HANDLING AND USE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implie

d, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.