View NSN Online: https://aerobasegroup.com/nsn/9150-01-228-3389

DOW CORNING CORP -- EXTREME LOW TEMPERATURE BEARING GREASE 33,MEDIUM - 9150-01-228-3389

Product ID: EXTREME LOW TEMPERATURE BEARING GREASE 33, MEDIUM MSDS Date:03/01/1996 FSC:9150 NIIN:01-228-3389 **MSDS Number: BPHTM** === Responsible Party === Company Name: DOW CORNING CORP Address:3901 SOUTH SAGINAW ROAD Box:997 City:MIDLAND State:MI ZIP:48686 Country:US Info Phone Num:517-496-6000/6315 (DISPOSAL) Emergency Phone Num:517-496-5900/800-424-9300(CHEMTREC) CAGE:5D028 === Contractor Identification === Company Name: DOW CORNING CORP Address:3901 S SAGINAW RD Box:997 City:MIDLAND State:MI ZIP:48686-0997 Country:US Phone:517-496-6000/517-496-6315 CAGE:5D028 Company Name: DOW CORNING CORP Address:2200 W SALZBURG RD Box:City:AUBURN State:MI ZIP:48611 Country:US Phone:517-496-4388 CAGE:71984 Company Name: INLAND PACKAGING INC Address:209 PETERSON DR Box:644 City:ELIZAB

ETHTOWN State:KY ZIP:42701-9804 Country:US Phone:502-737-6757 CAGE:66172

Ingred Name:PHENYLMETHYLSILOXANE/DIMETHYL,PHENYLMETHYL SILOXANE,TRIMETHYL-TERMINATED CAS:63148-52-7 Fraction by Wt: 75% Other REC Limits:NONE RECOMMENDED

Ingred Name:LITHIUM STEARATE CAS:4485-12-5 RTECS #:WI4370000 Fraction by Wt: 25% Other REC Limits:NONE RECOMMENDED

Ingred Name:2,6-CIS-DIPHENYLHEXAMETHYLCYCLOTETRASILOXANE CAS:33204-76-1 RTECS #:G Z4390000 Fraction by Wt: 101C Extinguishing Media:WATER FOG, CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:SCOOP UP EXCESS GREASE. PICK-UP RESIDUE WITH NON-FLAMMABLE ABSORBENT MATER IAL SUCH AS DIATOMACEOUS EARTH, SAND OR VERMICULITE. SWEEP UP AND TRANSFER TO A CONTAINER FOR PROPER DISPOSAL. CLEAN AREA WITH SOAPY WATER. Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions:STORE AWAY FROM OXIDIZERS. KEEP
CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF
CHILDREN. WATER CONTAMINATION SHOULD BE AVOIDED.
Other Precautions:MINIMIZE SKIN CONTACT. WASH THOROUGHLY AFTER

HANDLING. MINIMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MINIMIZED.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED. IF VAPOR, MIST OR DUST IS GENERATED, WEAR NIOSH-APPROVED RESPIRATORY PROTECTION. SUPPLIED AIR RESPIRATORY PROTECTION SHOULD BE USED FOR CLEANING LARGE SPILLS OR FOR ENTRY INTO TANKS, VESSELS OR OTHER CONFINED SPACES. Ventilat

ion:ADEQUATE

Protective Gloves:WASH HANDS SEVERAL TIMES EACH DAY. Eye Protection:CHEMICAL GOGGLES/FACE SHIELD RECOMMENDED Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN.

HCC:V6 NRC/State Lic Num:NOT RELEVANT Spec Gravity:1.10 Evaporation Rate & amp; Reference:NOT RELEVANT Appearance and Odor:PINK GREASE - SLIGHT ODOR

Stability Indicator/Materials to Avoid:YES OXIDIZING AGENTS Stability Condition to Avoid:NONE Hazardous Decomposition Products:SMOKE, CARBON MONOXIDE, CARBON DIOXIDE, METAL OXIDES, ALDEHYDES, SILICON DIOXIDE MAY BE FORMED.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. THIS PRODUCT HAS BEEN EVALUATED FOR RCRA CHARACTERISTICS AND DOES NOT MEET THE CRITERIA OF A HAZARDOUS WASTE IF DISCARDED IN ITS PURCHASED FORM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.