

HARRIS J W CO INC -- ALSOLDER 500 -- 3439-01-346-8987

=====  
===== Product Identification =====

Product ID:ALSOLDER 500  
MSDS Date:04/01/1990  
FSC:3439  
NIIN:01-346-8987  
Kit Part:Y  
MSDS Number: BPHWT  
=== Responsible Party ===  
Company Name:HARRIS J W CO INC  
Address:10930 DEERFIELD RD.  
City:CINCINNATI  
State:OH  
ZIP:45242-4110  
Country:US  
Info Phone Num:513-891-2000  
Emergency Phone Num:800-424-9300  
CAGE:JO820

=  
== Contractor Identification ==  
Company Name:J. W. HARRIS CO., INC  
Address:10930 DEERFIELD RD  
Box:City:CINCINNATI  
State:OH  
ZIP:45242-4110  
Country:US  
Phone:513-891-2000  
CAGE:JO820  
Company Name:J. W. HARRIS CO., INC.  
Address:10930 DEERFIELD ROAD  
Box:City:CINCINNATI  
State:OH  
ZIP:45242-4110  
Country:US  
Phone:513-891-2000  
CAGE:27911

=====  
===== Composition/Information on Ingredients =====

Ingred Name:CADMIUM (SARA III)  
CAS:7440-43-9  
RTECS #:EU9800000  
Fraction by Wt: 83%  
Other REC Limit

s:NONE RECOMMENDED  
OSHA PEL:SEE 1910.1027  
ACGIH TLV:0.01 MG/M3 DUST;9394  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

Ingred Name:ZINC (SARA III)  
CAS:7440-66-6  
RTECS #:ZG8600000  
Fraction by Wt: 17%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 MG ZNO/M3  
ACGIH TLV:10 MG ZNO/M3; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:  
NO  
Health Hazards Acute and Chronic:ACUTE: INHALATION OF FUMES MAY CAUSE  
RESPIRATORY SYSTEM IRRITATION AND METAL FUME FEVER. CHRONIC:  
PROLONGED OR REPEATED INHALATION OF CADMIUM FUMES MAY CAUSE CANCER.  
Explanation of Carcinogenicity:CADMIUM IS LISTED BY NTP AND IARC.  
Effects of Overexposure:COUGHING, WHEEZING, SNEEZING, CHILLS, WEAKNESS.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:INH  
ALED: REMOVE PERSON TO FRESH AIR. GIVE RESPIRATORY SUPPORT  
IF NEEDED. GET IMMEDIATE MEDICAL ATENTION. EYES: FLUSH WITH LOTS OF  
WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. SKIN: WASH WITH  
SOAP AND WATER. INGESTED: GET IMMEDIATE MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND  
BUNKER GEAR.  
Unusual Fire/Explos

ion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP AND PLACE IN A CONTAINER FOR LATER DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. USE NIOSH/MSHA APPROVED RESPIRATOR OR AIR-SUPPLIED RESPIRATOR IN CONFINED SPACES OR IF TLV IS EXCEEDED. USE IN ACCORDANCE WITH 29 CFR 1910.134.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO KEEP EXPOSURE BELOW TLV/PEL.

Protective Gloves:WELDERS GLOVES

Eye Protection:FACE SHIELD/GLASSES WITH PROPER LENSES

Other Protective Equipment:OTHER SAFETY EQUIPMENT AS NEEDED.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING.

Supplemental Safety and Health

KEY1=N1.

===== Physical/Chemical Properties =====

HCC:N1

Appearance and Odor:WIRE, GRAY TO SILVER IN COLOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:METAL OXIDE FUMES

===== Disposal Co

nsiderations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek com  
petent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.