

US OIL CO INC -- LEADED REGULAR GASOLINE N/O -- 9130-00-264-4538

===== Product Identification =====

Product ID:LEADED REGULAR GASOLINE N/O

MSDS Date:03/01/1989

FSC:9130

NIIN:00-264-4538

MSDS Number: BPHZK

=== Responsible Party ===

Company Name:US OIL CO INC

Address:425 S WASHINGTON AVE

City:COMBINED LOCKS

State:WI

ZIP:54113-1049

Country:US

Info Phone Num:414-739-6100

Emergency Phone Num:414-739-6

100, CHEMTREC 800-424-9300

CAGE:KO841

=== Contractor Identification ===

Company Name:U S OIL CO INC

Address:558 CARTER CT

Box:City:KIMBERLY

State:WI

ZIP:54136

Country:US

Phone:920-735-8287

CAGE:9V710

Company Name:US OIL CO INC

Address:425 S WASHINGTON AVE

Box:City:COMBINED LOCKS

State:WI

ZIP:54113-1049

Country:US

Phone:414-739-6100

CAGE:KO841

===== Composition/Information on Ingredients =====

Ingred Name:HYDROCARBONS (AROMATIC AND ALIPHATIC)

Fraction by Wt: >50%

Other REC Lim

its:NONE SPECIFIED  
OSHA PEL:1PPM/5STEL;1910.1028  
ACGIH TLV:10 PPM; A2; 9192

Ingred Name:ETHYL BENZENE (SARA III)  
CAS:100-41-4  
RTECS #:DA0700000  
Fraction by Wt: 2.0%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 PPM/125 STEL  
ACGIH TLV:100 PPM/125STEL 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:BENZENE (SARA III)  
CAS:71-43-2  
RTECS #:CY1400000  
Fraction by Wt: 0.1-4.9%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:1PPM/5STEL;1910.1028  
ACGIH TLV:10 PPM; A2; 9293  
EPA Rpt Qty:10 LBS  
DOT Rpt  
Qty:10 LBS

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 15%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:CYCLOHEXANE (SARA III)  
CAS:110-82-7  
RTECS #:GU6300000  
Fraction by Wt: 1.0%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:300 PPM  
ACGIH TLV:300 PPM, 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:CUMENE (SARA III)  
CAS:98-82-8  
RTECS #:GR8575000  
Fraction by Wt:

1%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:S, 50 PPM  
ACGIH TLV:S, 50 PPM; 9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:1,2,4-TRIMETHYLBENZENE (SARA III)(PSEUDOCUMENE)  
CAS:95-63-6  
RTECS #:DC3325000  
Fraction by Wt: 2.0%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:25 PPM  
ACGIH TLV:25 PPM; 9293

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)  
CAS:1330-20-7  
RTECS #:ZE2100000  
Fraction by Wt: 12%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 PPM/150 STEL  
ACGIH TLV:100 PPM/150STEL;9192  
EP  
A Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:ACUTE-INHALATION:CENTRAL NERVOUS  
SYSTEM DEPRESSION, HEADACHE, NAUSEA, DIZZINESS, FATIGUE, NARCOSIS,  
UNCONSCIOUSNESS, ASPHYXIATION. EYE:IRRITATION. SKIN:DEFATING,  
IRRITATION/ DERMATITIS. INGESTION: GI DISTURBANCES, NAUSEA,  
VOM  
ITING. CHRONIC:DERMATITIS, ANEMIA, PULMONARY EDEMA, LIVER AND  
KIDNEY DAMAGE.  
Explanation of Carcinogenicity:BENZENE IS LISTED AS A CARCINOGEN BY  
NTP, IARC, OSHA AND EPA.  
Effects of Overexposure:OVEREXPOSURE MAY LEAD TO RESPIRATORY  
IRRITATION, NAUSEA, FATIGUE, BLURRED VISION, DIZZINESS, HEADACHES,  
UNCONSCIOUSNESS, AND EYE IRRITATION, REDNESS.  
Medical Cond Aggravated by Exposure:SKIN AND RESPIRATORY DISORDERS.

===== First Aid Measures =====

F

irst Aid:SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER.  
GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: REMOVE TO  
FRESH AIR & RESTORE BREATHING IF NECESSARY. GET MEDICAL ATTENTION.  
EYE : IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING  
EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION: GET IMMEDIATE  
MEDICAL ATTENTION. DO NOT INDUCE VOMITING. NOTHING BY MOUTH IF  
UNCONSCIOUS.

=====  
===== Fire Fighting Measures =====  
=

Flash Point Method:TCC  
Flash Point:-50F,-46C  
Autoignition Temp:Autoignition Temp Text:495F  
Lower Limits:275 MMHG  
Vapor Density:>1  
Spec Gravity:0.70-0.77  
Evaporation Rate & Reference: