View NSN Online: https://aerobasegroup.com/nsn/9140-00-286-5296

TEXACO -- DIESEL FUEL 2 -- 9140-00-286-5296

=========== Product Identification ==============

Product ID:DIESEL FUEL 2 MSDS Date:04/21/1987

FSC:9140

NIIN:00-286-5296

MSDS Number: BPKMP === Responsible Party === Company Name:TEXACO

Box:509 City:BEACON

State:NY

ZIP:12508-0509 Country:US

Info Phone Num:914-831-3400

Emergency Phone Num:914-831-3400,X204., 800-424-9300

Preparer's Name: R.T. RICHARD

CAGE:06668

tractor Identification ===

Company Name: ROSE DON OIL CO INC

Address: 205 N BEN MADDOX WAY

Box:508 City:VISALIA State:CA ZIP:93277

Phone:209-733-4717

CAGE:5Z142

Country:US

Company Name: TEXACO INC

Box:509 City:BEACON State:NY

ZIP:12508-0509 Country:US

Phone:914-831-3400

CAGE:7B131

Company Name: TEXAS INSTRUMENTS INC INFORMATION TECHNOLOGY GROUP

Address:14902 SOMMERMEYER ST NO 100

Box:1444

City:HOUSTON

State:TX ZIP:77251 Country:US

Phone:800-336-5236

CAGE:06668

====== Composition/Information

on Ingredients =======

Ingred Name: PETROLEUM DISTILLATES (BLENDS OF PETROLEUM DISTILLATE CONSISTING OF MAINLY HYDROCARBONS RANGING FROM C6 TO C20)

Fraction by Wt: 100.0%

Other REC Limits:5MG/CUM,AS OIL MIST

========== Hazards Identification ================

LD50 LC50 Mixture: ORAL RAT:> 5G/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:IRRITATING TO EYES,SKIN A

RESPIRATORY TRACT; CNS EFFECTS, HEADACHES, DROWSINESS OR NARCOSIS. INGESTION: IRRITATION OF GITRACT. ASPIRATION INTO LUNGS MAY CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FA TAL. CHRONIC: DERMATITIS, DRYING OR CRACKING OF SKIN.

Explanation of Carcinogenicity:MIDDLE DISTILLATE HAVE CAUSED SKIN CANCER IN ANIMALS.

Effects of Overexposure:EYE:MILD IRRITATION. SKIN:DRYING, DEFATTING WITH PROLONGED AND/OR REPEATED CONTACT. INHALATION:HEADACHE, NAUSEA, CONFUSION, DROWINESS. INGES

TION: MAY CAUSE GASTROINTESTINAL

TRACT IRRITATION, NAUSEA, P OSSIBLE VOMITING.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING.WASH WITH SOAP AND WATER.CALL A PHYSICIAN IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR & RESTORE BREATHING IF NECESSARY.CALL A PHYSICIAN. EYES: IMMEDIATEL Y FLUSH WITH WATER FOR 15 MINUTES WHILEHOLDING EYEL

IDS OPEN.GET MEDICAL HELP. INGESTION: IMMEDIATELY CALL A PHYSICIAN.DO NOT INDUCE VOMITING.GIVE WATER IF CONSCIOUS. NOTHING BY MOUTH IF UNCONSCIOUS.

Flash Point Method:PMCC Flash Point:160F,71C Lower Limits:0.52 Upper Limits:4.10

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APP

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.
========== Accidental Release Measures ============
Spill Release Procedures:USE PROPER PERSONAL PROTECTION; REMOVE ALL IGNITION SOURCES;CONTAIN FREE LIQUID;USE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.
======================================
Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA. KEEP AWAY FROM HEAT, OPEN FLAME; DO NOT USE CONTAMINATED CLOTHES.
Other Precautions:EMPTY CONTAINERS RETAIN RESIDUE. DO NOT PRESSURIZE, CUT, WELD OR EXPOSE TO HEAT, FLAME, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE NIOSH APPROVED RESPIRATOR FOR ORGANIC VAP
ORS/MIST OR OIL MIST IF ABOVE PEL/TLV.
Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.
Protective Gloves:NEOPRENE/RUBBER.
Eye Protection:CHEMICAL GOGGLES.
Other Protective Equipment:EYE-WASH FACILITIES,IMPERVIOUS APRON. Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST.WASH THOROUGHLY AFTER EACH USE.
Supplemental Safety and Health PER MSDS THIS IS A HAZARDOUS MATERIAL.
========= Physical/Chemical Properties ===========
HCC:V4
Boiling Pt:B.
P. Text:650F,343C
Spec Gravity:0.852 Solubility in Water:NEGLIGIBLE
Appearance and Odor:CLEAR AND BRIGHT LIQUID
========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS
Stability Condition to Avoid:EXTREMELY HIGH TEMPERATURES Hazardous Decomposition Products:CO AND CO2.
======== Disposal Considerations ============
Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOC

ARATUS. COOL FIRE EXPOSED

CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.

AL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.