View NSN Online: https://aerobasegroup.com/nsn/9140-00-255-7764

KUWAIT PETROLEUM CORPORATION -- GASOIL-F76 -- 9140-00-255-7764

Product ID:GASOIL-F76 MSDS Date:11/25/1986 FSC:9140 NIIN:00-255-7764 MSDS Number: BPNXX === Responsible Party === Company Name: KUWAIT PETROLEUM CORPORATION Address: KNOWSTHORPE GATE CROSS GREEN INDUSTRIAL City:LEEDS LS1 0NP Country:UK CAGE:0TZ35 === Contractor Identification === Company Name: KUWAIT PE TROLEUM CORPORATION Address: KNOWSTHORPE GATE CROSS GREEN INDUSTRIAL Box:City:LEEDS LS1 0NP Country:UK CAGE:0TZ35

Ingred Name:PETROLEUM HYDROCARBONS Other REC Limits:NONE RECOMMENDED

Ingred Name: ADDITIVES Other REC Limits: NONE RECOMMENDED

Ingred Name:SULFUR CAS:7704-34-9 RTECS #:WS4250000 Fraction by Wt: 131F,>55C Autoignition Temp:Autoignition Temp Text:>448F Lower Limits:6 Upper Limits:13.5 Extinguishing Media:DRY CHEMICAL

, FOAM, OR CARBON DIOXIDE. DO NOT USE DIRECT WATER STREAM. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. USE WATER FOG TO COOL FIRE EXPOSED CONTAINERS AND TO DIPERSE VAPORS. Unusual Fire/Explosion Hazard:MODERATE FLAMMABLITY HAZARD WHEN EXPOSED TO HEAT OR FLAME.
======================================
Spill Release Procedures:CONTAIN SPILL. ABSORB ON SUITABLE MATERIAL, SCOOP UP AND PLACE IN CONTAINER F OR DISPOSAL. VENTILATE AREA. AVOID BREATHING VAPORS. AVOID ALL PERSONAL CONTACT. DO NOT ALLOW TO ENTER SEWERS OR WATERWAYS. Neutralizing Agent:NONE
======================================
Handling and Storage Precautions:STORE AWAY FROM HEAT AND IGNITION SOURCES. HANDLE AND STORE IN ACCORDANCE WITH OSHA REG. 1910.106. Other Precautions:USE ONLY AS A FUEL.
======================================
Respiratory Protection:USE SEL F-CONTAINED BREATHING APPARATUS IF PEL/TLV EXCEEDED AS IN A LARGE SPILL OR CONFINED AREA. USE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. Ventilation:USE ADEQUATE MECHANICAL VENTILATION. Protective Gloves:NITRILE, PVA Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:USE GOOD PERSONAL HYGENE. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health
======================================
HCC:F4 Boiling Pt:B.P. Text:>302F,>150C Melt/Freeze Pt:M.P/F.P Text:2 CST Solubility in Water:NEGLIGIBLE Appearance and Odor:BRIGHT, CLEAR; LIGHT YELLOW OR RED, OILY LIQUID

WITH CHARACTERISTIC ODOR

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:HEAT, FLAME AND OTHER SOURCES OF IGNITION. Hazardous Decomposition Products:OXID

ES OF CARBON

Waste Disposal Methods: IF DISCARDED IN ORIGINAL FORM, DISPOSE OF AS AN IGNITABLE MATERIAL (D001) UNDER RCRA. OTHERWISE CONTACT LOCAL ENVIRONMENTAL MANAGER AND DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIO NS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever.

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.