

SUNKYONG LIMITED -- F-76 MARINE FUEL -- 9140-00-273-2378

=====
Product Identification
=====

Product ID:F-76 MARINE FUEL

MSDS Date:07/01/1992

FSC:9140

NIIN:00-273-2378

MSDS Number: BPNYF

=== Responsible Party ===

Company Name:SUNKYONG LIMITED

Box:1780

City:SEOUL, KOREA

Country:KO

CAGE:1Y204

=== Contractor Identification ===

Company Name:SUNKYONG LIMITED

Address:C P O BOX 1780

Box:City:SEOUL REPUBUL

IC

CAGE:1Y204

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM MID-DISTILLATE (DIESEL MARINE FUEL)

CAS:68476-34-6

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:ANTI-SETTING AGENT

Other REC Limits:NONE RECOMMENDED

Ingred Name:FLOW IMPROVER

Other REC Limits:NONE RECOMMENDED

Ingred Name:MANUFACTURER DID NOT GIVE A SPECIFIC INGREDIENT LISTING;

HMIS TECHNICIAN DERIVED FROM ADDITIVES LIST

RTEC

S #:9999999ZZ

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Health Hazards Acute and Chronic:ACUTE: CONTACT WITH LIQUID OR MIST MAY CAUSE IRRITATION OF SKIN AND EYES. INHALATION MAY CAUSE RESPIRATORY TRACT IRRITATION AND CENTRAL NERVOUS SYSTEM EFFECTS. SWALLOWING MAY CAUSE ASPIRATION INTO LUN GS WHICH CAN BE FATAL. HIGH PRESSURE INJECTION MAY BE HARMFUL TO SKIN.

Expl
anation of Carcinogenicity:NO INGREDIENTS LISTED BY MANUFACTURER.
HMIS TECHNICIAN UNABLE TO DETERMINE FROM AVAILABLE DATA.

Effects of Overexposure:INHALED: COUGHING, WHEEZING, SHORTNESS OF BREATH, DROWSINESS, HEADACHE, NAUSEA. EYES: REDNESS, BURNING SENSATION, TEARING. SKIN: SWELLING, DISCOLORED, PAIN. INGESTED: NAUSEA, VOMITING.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INH

ALED: REMOVE TO FRESH AIR. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES. SEE DOCTOR. INGESTED: DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE 2-4 OZ VEGATAB LE OR OLIVE OIL AND 1-2 OZ OF ACTIVATEDCHARCOAL. GET IMMEDIATE MEDICAL AID. IF HIGH PRESSURE INJECTION OCCURS, GET IMMEDIATE MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:>140F,>60C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, AND WATER.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND BUNKER GEAR. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:MISTING FROM HANDLING OR HEATING MAY CAUSE A FUEL/AIR MIXTURE WHICH IS COMBUSTIBLE; MAY IGNITE IF EXPOSED TO SOURCES OF IGNITION.

=====
===== Accidental Release Measures =====

Spill Release Procedures:STOP FLOW. ELIMINATE ALL SOURCES OF IGNITION. VENTILATE AREA. WEAR PROPER PROTECT

IVE CLOTHES. ABSORB WITH INERT MATERIALS AND PLACE IN A CONTAINER FOR LATER DISPOSAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED. KEEP AWAY FROM INCOMPATIBLES. STORE IN A COOL, DRY, WELL-VENTILATED AREA.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection
:NONE NORMALLY REQUIRED. USE NIOSH/MSHA APPROVED RESPIRATOR OR AIR SUPPLIED RESPIRATOR OR SCBA IN EMERGENCY SITUTATIONS. USE IN ACCORDANCE WITH 29 CFR 1910.134.
Ventilation:NONE NORMALLY REQUIRED. USE ADEQUATE MECHANICAL VENTILATION IF IN ENCLOSED AREA.
Protective Gloves:NITRILE
Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES
Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER
Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUN
DER CONTAMINATED CLOTHES BEFORE REUSE.
Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:>383F,>195C
Spec Gravity:0.83
Appearance and Odor:BRIGHT, CLEAR LIQUID

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:EXPOSURE TO SOURCES OF IGNITION, CONTACT WITH INCOMPATIBLE MATERIALS.
Hazardous Decomposit

ion Products:OXIDES OF CARBON

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.