

HERNON MFG INC -- NUTS N BOLTS 423 -- 8030-01-025-1692

=====  
Product Identification  
=====

Product ID:NUTS N BOLTS 423

MSDS Date:04/01/1992

FSC:8030

NIIN:01-025-1692

MSDS Number: BPPDQ

=== Responsible Party ===

Company Name:HERNON MFG INC

Address:121 TECH DR

City:SANFORD (FORMALLY IN BROOKLYN, NY)

State:FL

ZIP:32771

Country:US

Info Phone Num:407-322-4000

Emergency Phone Num:407-322-4000

CAGE:61603

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYGLYCOL DIMETHACRYLATE

CAS:25852-47-5

Other REC Limits:NONE SPECIFIED

Ingred Name:SACCHARIN (SARA III)

CAS:81-07-2

RTECS #:DE4200000

Other REC Limits:NONE SPECIFIED

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:SILICON DIOX

IDE  
CAS:60676-86-0  
RTECS #:VV7328000  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:SEE TABLE Z3  
ACGIH TLV:0.1 MG/M3 RDUST;9293

Ingred Name:N N DIALKYL TOLINIDINES  
Other REC Limits:NONE SPECIFIED

Ingred Name:POLYESTER PLASTISIZER  
Other REC Limits:NONE SPECIFIED

Ingred Name:CUMENE HYDROPEROXIDE  
CAS:80-15-9  
RTECS #:MX2450000  
Other REC Limits:NONE SPECIFIED  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

=====  
Hazards Identification  
=====

Effects of Overexposure:PROLONGED CONT  
ACT WITH SENSITIVE INDIVIDUALS  
MAY CAUSE DERMATITIS.  
Medical Cond Aggravated by Exposure:SKIN IRRITATION.

=====  
First Aid Measures  
=====

First Aid:FLUSH WITH WATER. INGESTION: DO NOT INDUCE VOMITING, SEEK  
MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point Method:CC  
Flash Point:200F,93C  
Extinguishing Media:FOAM, DRY CHEMICAL, CO2  
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND  
PR  
TECTIVE CLOTHING SHOULD BE WORN WHEN FIGHTING FIRES INVOLVING  
CHEMICALS.  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SOAK UP IN INERT ABSORBENT MATERIAL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN CLOSED CONTAINER UNTIL  
DISPOSAL. STORE BELOW 75 F AND ABOVE 5 F TO PRESERVE SHELF LIFE.  
Other Precautions:AVOID PROLONGED SKIN CONTACT. KEE

P AWAY FROM  
CHILDREN.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST: NECESSARY. SPECIAL: NOT NORMALLY NEEDED.

Protective Gloves:PLASTIC OR RUBBER RECOMMENDED

Eye Protection:SAFETY GLASSES RECOMMENDED

Other Protective Equipment:NOT NECESSARY

Work Hygienic Practices:AS REQUIRED

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:>300F,>149C

Vapor Pres: